

| TObject | | |
|----------------------|-------------------|----------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitives | | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fgIsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TGraph2D | |
|---------------------|----------------------|
| fNpoints | fMargin |
| fNpx | fZout |
| fNpy | fFunctions |
| fMaxIter | fHistogram |
| fSize | fDirectory |
| fX | fPainter |
| fY | fUserHisto |
| fZ | fgIsA |
| fMinimum | |
| fMaximum | |
| @~TGraph2D | GetY |
| Build | GetZ |
| TGraph2D | GetEX |
| TGraph2D | GetEY |
| TGraph2D | GetEZ |
| TGraph2D | GetXmax |
| TGraph2D | GetXmin |
| TGraph2D | GetYmax |
| TGraph2D | GetYmin |
| TGraph2D | GetZmax |
| TGraph2D | GetZmin |
| operator= | Interpolate |
| DistancetoPrimitive | Paint |
| Draw | Project |
| ExecuteEvent | RemovePoint |
| FindObject | SavePrimitive |
| FindObject | SetDirectory |
| Fit | SetHistogram |
| Fit | SetMargin |
| GetContourList | SetMarginBinsContent |
| GetDirectory | SetMaximum |
| GetNpx | SetMinimum |
| GetNpy | SetMaxIter |
| GetHistogram | SetName |
| GetListOfFunctions | SetNpx |
| GetErrorX | SetNpy |
| GetErrorY | SetPoint |
| GetErrorZ | SetTitle |
| GetMargin | Class |
| GetXaxis | Class_Name |
| GetYaxis | IsA |
| GetZaxis | ShowMembers |
| GetN | |
| GetX | |

| TGraph2DErrors |
|------------------|
| fEX |
| fEY |
| fEZ |
| fgIsA |
| @~TGraph2DErrors |
| TGraph2DErrors |
| TGraph2DErrors |
| TGraph2DErrors |
| GetErrorX |
| GetErrorY |
| GetErrorZ |
| GetEX |
| GetEY |
| GetEZ |
| SetPoint |
| SetPointError |
| Class |
| Class_Name |
| IsA |
| ShowMembers |
| Streamer |
| StreamerNVirtual |

| TAttLine | |
|--------------------|-------------------|
| fLineColor | fgIsA |
| fLineStyle | |
| fLineWidth | |
| @~TAttLine | SetLineAttributes |
| TAttLine | SetLineColor |
| TAttLine | SetLineStyle |
| Copy | SetLineWidth |
| DistancetoLine | Class |
| GetLineColor | Class_Name |
| GetLineStyle | IsA |
| GetLineWidth | ShowMembers |
| Modify | Streamer |
| ResetAttLine | StreamerNVirtual |
| SaveLineAttributes | |