

| Object               |                  |                     |
|----------------------|------------------|---------------------|
| fUniqueID            | kIsReferenced    | kZombie             |
| fBits                | kHasUUID         | kBitMask            |
| fgDtorOnly           | kCannotPick      | kSingleKey          |
| fgObjectStat         | kNoContextMenu   | kOverwrite          |
| kCanDelete           | kInvalidObject   | kWriteDelete        |
| kMustCleanup         | kIsOnHeap        | fgIsA               |
| kObjInCanvas         | kNotDeleted      |                     |
|                      |                  |                     |
| @~TObject            | GetOption        | operator new        |
| MakeZombie           | GetObjectInfo    | operator new@[@]    |
| DoError              | GetTitle         | operator delete     |
| TObject              | HandleTimer      | operator delete@[@] |
| TObject              | Hash             | operator delete     |
| operator=            | InheritsFrom     | operator delete@[@] |
| AppendPad            | InheritsFrom     | SetBit              |
| Browse               | Inspect          | SetBit              |
| ClassName            | IsFolder         | ResetBit            |
| Clear                | IsEqual          | TestBit             |
| Clone                | IsSortable       | TestBits            |
| Compare              | IsOnHeap         | InvertBit           |
| Copy                 | IsZombie         | Info                |
| Delete               | Notify           | Warning             |
| DistancetoPrimitives |                  | Error               |
| Draw                 | Paint            | SysError            |
| DrawClass            | Pop              | Fatal               |
| DrawClone            | Print            | AbstractMethod      |
| Dump                 | Read             | MayNotUse           |
| Execute              | RecursiveRemove  | GetDtorOnly         |
| Execute              | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent         | SetDrawOption    | GetObjectStat       |
| FindObject           | SetUniqueID      | SetObjectStat       |
| FindObject           | UseCurrentStyle  | Class               |
| GetDrawOption        | Write            | Class_Name          |
| GetUniqueID          | Write            | IsA                 |
| GetName              | operator new     | ShowMembers         |
| GetIconName          | operator new@[@] |                     |

| TNamed       |  |
|--------------|--|
| fName        |  |
| fTitle       |  |
| fgIsA        |  |
|              |  |
| @~TNamed     |  |
| TNamed       |  |
| TNamed       |  |
| TNamed       |  |
| TNamed       |  |
| operator=    |  |
| Clear        |  |
| Clone        |  |
| Compare      |  |
| Copy         |  |
| FillBuffer   |  |
| GetName      |  |
| GetTitle     |  |
| Hash         |  |
| IsSortable   |  |
| SetName      |  |
| SetNameTitle |  |
| SetTitle     |  |
| Is           |  |
| Print        |  |
| Sizeof       |  |
| Class        |  |
| Class_Name   |  |
| IsA          |  |
| ShowMembers  |  |

| TStreamerElement   |                   |
|--------------------|-------------------|
| fType              | fFactor           |
| fSize              | kSTL              |
| fArrayLength       | kSTLstring        |
| fArrayDim          | kSTLvector        |
| fMaxIndex[5]       | kSTLlist          |
| fOffset            | kSTLdeque         |
| fToObjectOffset    | kSTLmap           |
| fNewType           | kSTLset           |
| fTypeName          | kSTLmultimap      |
| fClassObject       | kSTLmultiset      |
| fStreamer          | kHasRange         |
| fMethod            | fgIsA             |
| fXmin              |                   |
| fXmax              |                   |
|                    |                   |
| @~TStreamerElement |                   |
| TStreamerElement   | IsaPointer        |
| TStreamerElement   | HasCounter        |
| CannotSplit        | IsOldFormat       |
| GetArrayDim        | IsBase            |
| GetArrayLength     | Is                |
| GetClassPointer    | SetArrayDim       |
| GetClass           | SetMaxIndex       |
| GetExecID          | SetOffset         |
| GetFullName        | SetToObjectOffset |
| GetInclude         | SetStreamer       |
| GetMaxIndex        | SetSize           |
| GetMethod          | SetNewType        |
| GetStreamer        | SetType           |
| GetSize            | SetTypeName       |
| GetNewType         | Update            |
| GetType            | Class             |
| GetOffset          | Class_Name        |
| GetToObjectOffset  | IsA               |
| GetTypeName        | ShowMembers       |
| GetTypeNameBasic   | Streamer          |
| GetFactor          | StreamerNVirtual  |
| GetXmin            |                   |
| GetXmax            |                   |

| TStreamerBasicType   |  |
|----------------------|--|
| fCounter             |  |
| fgIsA                |  |
|                      |  |
| @~TStreamerBasicType |  |
| TStreamerBasicType   |  |
| TStreamerBasicType   |  |
| GetCounter           |  |
| GetMethod            |  |
| GetSize              |  |
| Class                |  |
| Class_Name           |  |
| IsA                  |  |
| ShowMembers          |  |
| Streamer             |  |
| StreamerNVirtual     |  |