

| TObject | | |
|----------------------|-------------------|----------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistanceToPrimitives | | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fgIsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TBranch | | |
|---------------------|-------------------|---------------------|
| kAutoDelete | fReadBasket | fBasketEntry |
| fgCount | fReadEntry | fBasketSeek |
| fCompress | fEntries | fTree |
| fBasketSize | fTotBytes | fAddress |
| fEntryOffsetLen | fZipBytes | fDirectory |
| fWriteBasket | fBranches | fFileName |
| fEntryNumber | fLeaves | fEntryBuffer |
| fOffset | fBaskets | fBrowsables |
| fMaxBaskets | fNBasketRAM | fSkipZip |
| fSplitLevel | fBasketRAM | fgIsA |
| fNleaves | fBasketBytes | |
| @~TBranch | GetDirectory | ReadBasket |
| SetSkipZip | GetFile | ReadLeaves |
| TBranch | GetFileName | Refresh |
| TBranch | GetOffset | Reset |
| AddBasket | GetReadBasket | ResetAddress |
| Browse | GetReadEntry | ResetReadEntry |
| DropBaskets | GetWriteBasket | SetAddress |
| ExpandBasketArray | GetTotalSize | SetAutoDelete |
| Fill | GetTotBytes | SetBasketSize |
| FillLeaves | GetZipBytes | SetBufferAddress |
| FindBranch | GetEntryNumber | SetCompressionLevel |
| FindLeaf | GetListOfBaskets | SetEntryOffsetLen |
| GetAddress | GetListOfBranches | SetEntries |
| GetBasketSize | GetListOfLeaves | SetFile |
| GetClassName | GetMaxBaskets | SetFile |
| GetCompressionLevel | GetNleaves | SetOffset |
| GetEntry | GetSplitLevel | SetTree |
| GetEntryExport | GetEntries | UpdateAddress |
| GetEvent | GetTree | WriteBasket |
| GetEntryOffsetLen | GetRow | ResetCount |
| GetIconName | GetMother | Class |
| GetLeaf | GetSubBranch | Class_Name |
| GetBasket | IsAutoDelete | IsA |
| GetBasketBytes | IsFolder | ShowMembers |
| GetBasketEntry | KeepCircular | |
| GetBasketSeek | LoadBaskets | |
| GetBrowsables | Print | |

| TAttFill | | |
|---------------|--------------------|------------------|
| fFillColor | fgIsA | |
| fFillStyle | | |
| @~TAttFill | Modify | Class_Name |
| TAttFill | ResetAttFill | IsA |
| TAttFill | SaveFillAttributes | ShowMembers |
| Copy | SetFillAttributes | Streamer |
| GetFillColor | SetFillColor | StreamerNVirtual |
| GetFillStyle | SetFillStyle | |
| IsTransparent | Class | |