

| Object | | |
|----------------------|-------------------|----------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitives | Is | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fgIsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TVirtualFitter | |
|--------------------------|------------------|
| fOption | fUserFunc |
| fXfirst | fMethodCall |
| fXlast | fFCN |
| fYfirst | fgFitter |
| fYlast | fgMaxpar |
| fZfirst | fgMaxiter |
| fZlast | fgErrorDef |
| fNpoints | fgPrecision |
| fPointSize | fgDefault |
| fCacheSize | fgIsA |
| fCache | |
| fObjectFit | |
| @~TVirtualFitter | ReleaseParameter |
| operator= | SetCache |
| Chisquare | SetFCN |
| Clear | SetFCN |
| ExecuteCommand | SetFitMethod |
| FixParameter | SetFitOption |
| GetConfidenceInterval | SetObjectFit |
| GetConfidenceInterval | SetParameter |
| GetConfidenceInterval | SetUserFunc |
| GetCovarianceMatrix | SetXfirst |
| GetErrors | SetXlast |
| GetFitOption | SetYfirst |
| GetMethodCall | SetYlast |
| GetNumberTotalParameters | SetZfirst |
| GetNumberFreeParameters | SetZlast |
| GetObjectFit | GetFitter |
| GetParError | Fitter |
| GetParameter | GetDefaultFitter |
| GetParameter | GetMaxIterations |
| GetParName | GetErrorDef |
| GetStats | GetPrecision |
| GetSumLog | SetDefaultFitter |
| GetUserFunc | SetFitter |
| GetXfirst | SetMaxIterations |
| GetXlast | SetErrorDef |
| GetYfirst | SetPrecision |
| GetYlast | Class |
| GetZfirst | Class_Name |
| GetZlast | IsA |
| IsFixed | ShowMembers |
| PrintResults | |

| TFitter |
|--------------------------|
| fNlog |
| fCovar |
| fSumLog |
| fMinuit |
| fgIsA |
| @~TFitter |
| TFitter |
| Chisquare |
| Clear |
| ExecuteCommand |
| FitChisquare |
| FitChisquare1 |
| FitLikelihood |
| FitLikelihood1 |
| FixParameter |
| GetConfidenceInterval |
| GetConfidenceInterval |
| GetCovarianceMatrix |
| GetCovarianceMatrix |
| GetErrors |
| GetNumberTotalParameters |
| GetNumberFreeParameters |
| GetParError |
| GetParameter |
| GetParameter |
| GetParName |
| GetStats |
| GetSumLog |
| IsFixed |
| PrintResults |
| ReleaseParameter |
| SetFCN |
| SetFCN |
| SetFitMethod |
| SetParameter |
| Class |
| Class_Name |
| IsA |
| ShowMembers |
| Streamer |