

| TGFrame | | | |
|--------------------------------|-------------------------------|-----------------|-------------------|
| fX | fBorderWidth | fgWhitePixel | fgLastButton |
| fY | fOptions | fgBlackPixel | fgDbx |
| fWidth | fBackground | fgBlackGC | fgDby |
| fHeight | fEventMask | fgWhiteGC | fgDbw |
| fMinWidth | fFE | fgHighlightGC | fgUserColor |
| fMinHeight | fgInit | fgShadowGC | fgIsA |
| fMaxWidth | fgDefaultFrameBackgroundGC | fgNormGC | |
| fMaxHeight | fgDefaultSelectedBackgroundGC | fgColor | |
| @~TGFrame | | | |
| HandleCrossing | Layout | GetFrameElement | |
| GetLastClick | HandleMotion | MapSubwindows | SetFrameElement |
| GetSender | HandleKey | ReparentWindow | Contains |
| Draw3dRectangle | HandleFocusChange | MapWindow | GetFrameFromPoint |
| DoRedraw | HandleClientMessage | MapRaised | SetX |
| GetResourcePool | HandleSelection | UnmapWindow | SetY |
| GetOptionString | HandleSelectionRequest | DrawBorder | SetWidth |
| StartGuiBuilding | HandleSelectionDraw | Copy | SetHeight |
| GetDefaultFrameBackgroundGC | HandleColorMapChange | Arrange | SetMinWidth |
| GetDefaultSelectedBackgroundGC | HandleDragEnter | IsActive | SetMinHeight |
| GetWhitePixel | HandleDragLeavesComposite | | SetMaxWidth |
| GetBlackPixel | HandleDragMotion | IsEditable | SetMaxHeight |
| GetBlackGC | HandleDragDrop | SetEditable | SetSize |
| GetWhiteGC | ProcessedEvent | SetLayoutBroken | Print |
| GetHighlightGC | SendMessage | IsLayoutBroken | SaveUserColor |
| GetShadowGC | ProcessMessage | SetCleanup | SavePrimitive |
| GetBckgndGC | GetDefaultSize | SetDragType | Delete |
| TGFrame | Move | SetDropType | DrawClone |
| TGFrame | Resize | GetDragType | DrawClass |
| TGFrame | Resize | GetDropType | Dump |
| operator= | MoveResize | GetWidth | Inspect |
| DeleteWindow | GetDefaultWidth | GetHeight | SetDrawOption |
| ReallyDelete | GetDefaultHeight | GetMinWidth | Class |
| GetEventMask | GetBackground | GetMinHeight | Class_Name |
| AddInput | ChangeBackground | GetMaxWidth | IsA |
| RemoveInput | SetBackground | GetMaxHeight | ShowMembers |
| HandleEvent | GetForeground | GetSize | |
| HandleConfigureNotify | ForegroundColor | GetX | |
| HandleButton | GetOptions | GetY | |
| HandleDoubleClick | ChangeOptions | GetBorderWidth | |

| TGButton | |
|-------------------|-----------------|
| fTWidth | fGroup |
| fTHeight | fgDefaultGC |
| fState | fgHibckgndGC |
| fStayDown | fgReleaseBtn |
| fNormGC | fgIsA |
| fUserData | |
| fTip | |
| @~TGButton | |
| IsDown | operator= |
| SetDown | SetToggleButton |
| IsOn | EmitSignals |
| SetOn | GetDefaultGC |
| IsToggleButton | GetHibckgndGC |
| IsExclusiveToggle | TGButton |
| Toggle | TGButton |
| SetEnabled | HandleButton |
| SavePrimitive | HandleCrossing |
| GetNormGC | SetUserData |
| Pressed | GetUserData |
| Released | SetToolTipText |
| Clicked | GetToolTip |
| Toggled | SetState |
| Class | GetState |
| Class_Name | AllowStayDown |
| IsA | SetGroup |
| ShowMembers | GetGroup |
| TGWidget | |
| fWidgetId | fCommand |
| fWidgetFlags | fgIsA |
| fMsgWindow | |
| @~TGWidget | |
| WantFocus | TGWidget |
| Associate | operator= |
| SetCommand | SetFlags |
| GetCommand | ClearFlags |
| Class | TGWidget |
| Class_Name | TGWidget |
| IsA | WidgetId |
| ShowMembers | IsEnabled |
| | HasFocus |

| TGTextButton | |
|----------------------|----------------------|
| fLabel | fTMode |
| fHKeyCode | fFontStruct |
| fHasOwnFont | fgDefaultFont |
| fgIsA | |
| @~TGTextButton | |
| operator= | DoRedraw |
| Init | GetDefaultFontStruct |
| DoRedraw | TGTextButton |
| GetDefaultFontStruct | TGTextButton |
| TGTextButton | TGTextButton |
| TGTextButton | GetDefaultSize |
| TGTextButton | HandleButton |
| GetDefaultSize | HandleKey |
| HandleKey | HandleCrossing |
| GetText | IsToggleButton |
| SetTitle | IsOn |
| GetString | IsDown |
| SetTextJustify | SetState |
| GetTextJustify | SavePrimitive |
| SetText | Class |
| SetText | Class_Name |
| SetTitle | IsA |
| SetFont | ShowMembers |
| SetFont | |
| SetTextColor | |
| SetForegroundColor | |
| HasOwnFont | |
| ChangeText | |
| GetFontStruct | |
| SavePrimitive | |
| Class | |
| Class_Name | |
| IsA | |
| ShowMembers | |

| TGCheckBox | |
|----------------------|----------------------|
| fPrevState | fgDefaultFont |
| fgDefaultGC | fgDefaultGC |
| fgIsA | |
| @~TGCheckBox | |
| Init | PSetState |
| PSetState | DoRedraw |
| DoRedraw | EmitSignals |
| EmitSignals | GetDefaultFontStruct |
| GetDefaultFontStruct | TGCheckBox |
| TGCheckBox | TGCheckBox |
| TGCheckBox | GetDefaultSize |
| GetDefaultSize | HandleButton |
| HandleButton | HandleKey |
| HandleKey | HandleCrossing |
| HandleCrossing | IsToggleButton |
| IsToggleButton | IsOn |
| IsOn | IsDown |
| IsDown | SetState |
| SetState | SavePrimitive |
| SavePrimitive | Class |
| Class | Class_Name |
| Class_Name | IsA |
| IsA | ShowMembers |
| ShowMembers | Streamer |

| TQObject | | | |
|-----------------------|--------------------|---------------------|---------------|
| fListOfSignals | fListOfConnections | fgIsA | |
| @~TQObject | | | |
| EmitVA | Emit | Emit | Destroyed |
| Emit | Emit | Emit | ChangedBy |
| Emit | Emit | Emit | Message |
| ConnectToClass | Emit | Emit | Connect |
| ConnectToClass | Emit | Connect | Connect |
| CheckConnectArgs | Emit | Disconnect | Disconnect |
| TQObject | Emit | HighPriority | Disconnect |
| operator= | Emit | LowPriority | LoadRQ_OBJECT |
| TQObject | Emit | HasConnection | Class |
| GetListOfClassSignals | Class | NumberOfSignals | Class_Name |
| GetListOfSignals | Emit | NumberOfConnections | Class |
| GetListOfConnections | Class | Connected | ShowMembers |
| EmitVA | Emit | Disconnected | |