

TQObject	
fld	
fClient	
fglsA	
@~TQObject	
operator=	
TQObject	
TQObject	
GetId	
GetClient	
Hash	
IsEqual	
Class	
Class_Name	
IsA	
ShowMembers	

TGWindow	
fParent	kEditDisableLayout
fNeedRedraw	kEditDisableResize
fName	kEditDisableHeight
fgCounter	kEditDisableWidth
fEditDisabled	kEditDisableBtnEna
kEditEnable	kEditDisableKeyEna
kEditDisable	fglsA
kEditDisableEvents	
kEditDisableGrab	
@~TGWindow	HandleTimer
TGWindow	HandleIdleEvent
TGWindow	Move
operator=	Resize
DoRedraw	MoveResize
TGWindow	IsMapped
TGWindow	IsEditable
GetParent	GetEditDisabled
GetMainFrame	SetEditDisabled
MapWindow	SetEditable
MapSubwindows	MustCleanup
MapRaised	Print
UnmapWindow	SetWindowName
DestroyWindow	GetName
DestroySubwindow	SetName
RaiseWindow	SetMapSubwindows
LowerWindow	IsMapSubwindows
IconifyWindow	GetCounter
ReparentWindow	Class
RequestFocus	Class_Name
SetBackgroundColor	
SetBackgroundPixmap	ShowMembers
HandleExpose	
HandleEvent	

TGFrame			
fX	fBorderWidth	fgWhitePixel	fgLastButton
fY	fOptions	fgBlackPixel	fgDbx
fWidth	fBackground	fgBlackGC	fgDby
fHeight	fEventMask	fgWhiteGC	fgDbw
fMinWidth	fFE	fgHilighGC	fgUserColor
fMinHeight	fgInit	fgShadowGC	fglsA
fMaxWidth	fgDefaultFrameBackgroundGC	fgHilighGC	
fMaxHeight	fgDefaultSelectedBackgroundGC	fgHilighGC	
@~TGFrame	HandleCrossing	Layout	GetFrameElement
GetLastClick	HandleMotion	MapSubwindows	SetFrameElement
GetSender	HandleKey	ReparentWindow	Contains
Draw3dRectangle	HandleFocusChange	MapWindow	GetFrameFromPoint
DoRedraw	HandleClientMessage	MapRaised	SetX
GetResourcePool	HandleSelection	UnmapWindow	SetY
GetOptionString	HandleSelectionRequestBorder	DrawCopy	SetWidth
StartGuiBuilding	HandleSelectionChange	DrawCopy	SetHeight
GetDefaultFrameBackgroundGC	HandleColorMapChange	DrawCopy	SetMinWidth
GetDefaultSelectedBackgroundGC	HandleColorMapChange	DrawCopy	SetMinHeight
GetWhitePixel	HandleDragLeave	IsComposite	SetMaxWidth
GetBlackPixel	HandleDragMotion	IsEditable	SetMaxHeight
GetBlackGC	HandleDragDrop	SetEditable	SetSize
GetWhiteGC	ProcessedEvent	SetLayoutBroken	Print
GetHilighGC	SendMessage	IsLayoutBroken	SaveUserColor
GetShadowGC	ProcessMessage	SetCleanup	SavePrimitive
GetBckgndGC	GetDefaultSize	SetDragType	Delete
TGFrame	Move	SetDropType	DrawClone
TGFrame	Resize	GetDragType	DrawClass
TGFrame	Resize	GetDropType	Dump
operator=	MoveResize	GetWidth	Inspect
DeleteWindow	GetDefaultWidth	GetHeight	SetDrawOption
ReallyDelete	GetDefaultHeight	GetMinWidth	Class
GetEventMask	GetBackground	GetMinHeight	Class_Name
AddInput	ChangeBackground	GetMaxWidth	IsA
RemoveInput	SetBackground	GetMaxHeight	ShowMembers
HandleEvent	GetForeground	GetSize	
HandleConfigureReq	SetForeground	GetX	
HandleButton	GetOptions	GetY	
HandleDoubleClick	ChangeOptions	GetBorderWidth	

TGDoubleSlider	
fPos	
fSmin	
fSmax	
fRelPos	
fVmin	
fVmax	
fScale	
fScaleType	
fPressPoint	
fPressSmin	
fPressSmax	
fMove	
fReversedScale	
fMarkEnds	
fglsA	
@~TGDoubleSlider	
GetSString	
FixBounds	
HandleButton	
HandleMotion	
SetScale	
SetRange	
SetPosition	
GetMinPosition	
GetMaxPosition	
GetPosition	
GetPosition	
MapSubwindows	
PositionChanged	
Pressed	
Released	
Class	
Class_Name	
IsA	
ShowMembers	

TGWidget	
fWidgetId	
fWidgetFlags	
fMsgWindow	
fCommand	
fglsA	
@~TGWidget	
TGWidget	
operator=	
SetFlags	
ClearFlags	
TGWidget	
TGWidget	
WidgetId	
IsEnabled	
HasFocus	
WantFocus	
Associate	
SetCommand	
GetCommand	
Class	
Class_Name	
IsA	
ShowMembers	

TQObject			
flistOfSignals	flistOfConnectors	fglsA	
@~TQObject	EmitVA	Emit	Destroyed
GetSender	Emit	Emit	ChangedBy
GetSenderClassName	Emit	Emit	Message
ConnectToClass	Emit	Emit	Connect
ConnectToClass	Emit	Connect	Connect
CheckConnectArgs	Emit	Disconnect	Disconnect
TQObject	Emit	HighPriority	Disconnect
operator=	Emit	LowPriority	LoadRQ_OBJECT
TQObject	Emit	HasConnection	Class
GetListOfClassSignals	Emit	NumberOfSignals	Class_Name
GetListOfSignals	Emit	NumberOfConnections	Class
GetListOfConnections	Emit	Connected	ShowMembers
EmitVA	Emit	Disconnected	