

TGObject
fId
fClient
fgIsA
@-TGObject
operator=
TGObject
TGObject
GetId
GetClient
Hash
IsEqual
Class
Class_Name
IsA
ShowMembers

TGWindow	
fParent	kEditDisableLayout
fNeedRedraw	kEditDisableResize
fName	kEditDisableHeight
fgCounter	kEditDisableWidth
fEditDisabled	kEditDisableBtnEna
kEditEnable	kEditDisableKeyEna
kEditDisable	fgIsA
kEditDisableEvents	
kEditDisableGrab	
@-TGWindow	HandleTimer
TGWindow	HandleIdleEvent
TGWindow	Move
operator=	Resize
DoRedraw	MoveResize
TGWindow	IsMapped
TGWindow	IsEditable
GetParent	GetEditDisabled
GetMainFrame	SetEditDisabled
MapWindow	SetEditable
MapSubwindows	MustCleanUp
MapRaised	Print
UnmapWindow	SetWindowName
DestroyWindow	GetName
DestroySubwindow	GetName
RaiseWindow	SetMapSubwindows
LowerWindow	IsMapSubwindows
IconifyWindow	GetCounter
ReparentWindow	Class
RequestFocus	Class_Name
SetBackgroundClass	
SetBackgroundPixmap	ShowMembers
HandleExpose	
HandleEvent	

TGFrame			
fX	fBorderWidth	fgWhitePixel	fgLastButton
fY	fOptions	fgBlackPixel	fgDbx
fWidth	fBackground	fgBlackGC	fgDby
fHeight	fEventMask	fgWhiteGC	fgDbw
fMinWidth	fFE	fgHilightGC	fgUserColor
fMinHeight	fgInit	fgShadowGC	fgIsA
fMaxWidth	fgDefaultFrameBackgroundGC		
fMaxHeight	fgDefaultSelectedBackgroundGC		
@-TGFrame	HandleCrossing	Layout	GetFrameElement
GetLastClick	HandleMotion	MapSubwindows	SetFrameElement
GetSender	HandleKey	ReparentWindow	Contains
Draw3dRectangle	HandleFocusChange	MapWindow	GetFrameFromPoint
DoRedraw	HandleClientMessage	MapRaised	SetX
GetResourcePool	HandleSelection	UnmapWindow	SetY
GetOptionString	HandleSelectionRequest	DrawBorder	SetWidth
StartGuiBuilding	HandleSelectionClear	Copy	SetHeight
GetDefaultFrameBackgroundGC	MapSubwindows	Change	SetMinWidth
GetDefaultSelectedBackgroundGC	MapSubwindows	EnterActive	SetMinHeight
GetWhitePixel	HandleDragLeave	Composite	SetMaxWidth
GetBlackPixel	HandleDragMotion	Editable	SetMaxHeight
GetBlackGC	HandleDragDrop	SetEditable	SetSize
GetWhiteGC	ProcessedEvent	SetLayoutBroker	Print
GetHilightGC	SendMessage	IsLayoutBroken	SaveUserColor
GetShadowGC	ProcessMessage	SetCleanUp	SavePrimitive
GetBckgndGC	GetDefaultSize	SetDragType	Delete
TGFrame	Move	SetDropType	DrawClone
TGFrame	Resize	GetDragType	DrawClass
TGFrame	Resize	GetDropType	Dump
operator=	MoveResize	GetWidth	Inspect
DeleteWindow	GetDefaultWidth	GetHeight	SetDrawOption
ReallyDelete	GetDefaultHeight	GetMinWidth	Class
GetEventMask	GetBackground	GetMinHeight	Class_Name
AddInput	ChangeBackground	GetMaxWidth	IsA
RemoveInput	SetBackgroundClass	GetMaxHeight	ShowMembers
HandleEvent	GetForeground	GetSize	
HandleConfigureNotify	Notifyforeground	GetX	
HandleButton	GetOptions	GetY	
HandleDoubleClick	ChangeOptions	GetBorderWidth	

TGLabel	
fText	fHasOwnFont
fTWidth	fDisabled
fTHeight	fgDefaultFont
fTMode	fgDefaultGC
fTextChanged	fgIsA
fNormGC	
fFontStruct	
@-TGLabel	SetTextFont
TGLabel	SetTextFont
operator=	SetTextFont
DoRedraw	SetColor
GetDefaultFontSet	SetColor
GetDefaultGC	SetForegroundColor
TGLabel	Disable
TGLabel	Enable
GetDefaultSize	IsDisabled
GetText	HasOwnFont
GetTitle	GetNormGC
SetText	GetFontStruct
SetText	SetPrimitive
ChangeText	Class
SetTitle	Class_Name
SetText	IsA
SetTextJustify	ShowMembers
GetTextJustify	

TQObject			
fListofSignals	fListofConnections	fgIsA	
@-TQObject	EmitVA	Emit	Destroyed
GetSender	Emit	Emit	ChangedBy
GetSenderClassName	Emit	Emit	Message
ConnectToClass	Emit	Emit	Connect
ConnectToClass	Emit	Connect	Connect
CheckConnectArgument	Emit	Disconnect	Disconnect
TQObject	Emit	HighPriority	Disconnect
operator=	Emit	LowPriority	LoadRQ_OBJECT
TQObject	Emit	HasConnection	Class
GetListofClassSignals	Emit	NumberOfSignals	Class_Name
GetListofSignals	Emit	NumberOfConnections	Class
GetListofConnections	Emit	Connected	ShowMembers
EmitVA	Emit	Disconnected	