

**TObject**

fUniqueID	kIsReferenced	kZombie
fBits	kHasUUID	kBitMask
fgDtorOnly	kCannotPick	kSingleKey
fgObjectStat	kNoContextMenu	kOverwrite
kCanDelete	kInvalidObject	kWriteDelete
kMustCleanup	kIsOnHeap	fgIsA
kObjInCanvas	kNotDeleted	

@~TObject	GetOption	operator new
MakeZombie	GetObjectInfo	operator new@[@]
DoError	GetTitle	operator delete
TObject	HandleTimer	operator delete@[@]
TObject	Hash	operator delete
operator=	InheritsFrom	operator delete@[@]
AppendPad	InheritsFrom	SetBit
Browse	Inspect	SetBit
ClassName	IsFolder	ResetBit
Clear	IsEqual	TestBit
Clone	IsSortable	TestBits
Compare	IsOnHeap	InvertBit
Copy	IsZombie	Info
Delete	Notify	Warning
DistancetoPrimitive		Error
Draw	Paint	SysError
DrawClass	Pop	Fatal
DrawClone	Print	AbstractMethod
Dump	Read	MayNotUse
Execute	RecursiveRemove	GetDtorOnly
Execute	SavePrimitive	SetDtorOnly
ExecuteEvent	SetDrawOption	GetObjectStat
FindObject	SetUniqueID	SetObjectStat
FindObject	UseCurrentStyle	Class
GetDrawOption	Write	Class_Name
GetUniqueID	Write	IsA
GetName	operator new	ShowMembers
GetIconName	operator new@[@]	

**TNamed**

fName
fTitle
fgIsA

@~TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

**TSocket**

kRead	fSecContext
kWrite	fService
kSOCKD	fServType
kROOTD	fSocket
kPROOFD	fTcpWindowSize
fAddress	fUrl
fBytesRecv	fgBytesRecv
fBytesSent	fgBytesSent
fCompress	fgClientProtocol
fLocalAddress	fgIsA
fRemoteProtocol	
@~TSocket	Recv
TSocket	Recv
Authenticate	Recv
SetDescriptor	Recv
operator=	RecvRaw
GetOption	Select
TSocket	Send
TSocket	Send
TSocket	Send
TSocket	Send
TSocket	SendObject
TSocket	SendRaw
Close	SetCompressionLevel
GetDescriptor	SetOption
GetInetAddress	SetRemoteProtocol
GetLocalInetAddress	SetSecContext
GetPort	SetService
GetService	SetServType
GetServType	SetUrl
GetLocalPort	GetClientProtocol
GetBytesSent	GetSocketBytesSent
GetBytesRecv	GetSocketBytesRecv
GetCompressionLevel	CreateAuthSocket
GetErrorCode	CreateAuthSocket
GetOption	NetError
GetRemoteProtocol	Class
GetSecContext	Class_Name
GetTcpWindowSize	IsA
GetUrl	ShowMembers
IsAuthenticated	
IsValid	

**TPSocket**

fSockets	fReadBytesLeft
fWriteMonitor	fWritePtr
fReadMonitor	fReadPtr
fSize	fgIsA
fWriteBytesLeft	

@~TPSocket	Send
TPSocket	SendRaw
TPSocket	Recv
operator=	Recv
Init	Recv
GetOption	Recv
TPSocket	RecvRaw
TPSocket	IsValid
TPSocket	GetErrorCode
TPSocket	SetOption
TPSocket	GetOption
Close	GetSize
GetDescriptor	Class
GetLocalInetAddress	Class_Name
Send	IsA
Send	ShowMembers
Send	