

QObject

TQtClientFilter
<div>fRootEventQueue</div> <div>fNotifyClient</div> <div>fButtonGrabList</div> <div>fgPointerGrabber</div> <div>fgButtonGrabber</div> <div>fgActiveGrabber</div> <div>fKeyGrabber</div> <div>fInputEventMask</div> <div>fgGrabPointerEventMask</div> <div>fgGrabPointerOwner</div> <div>fgGrabPointerCursor</div> <div>fgGrabber</div> <div>fgIsA</div>
<div>@~TQtClientFilter</div> <div>operator=</div> <div>operator=</div> <div>TQtClientFilter</div> <div>eventFilter</div> <div>AddKeyEvent</div> <div>Queue</div> <div>SetKeyGrabber</div> <div>UnSetKeyGrabber</div> <div>RestoreLostGrabbing</div> <div>IsGrabSelected</div> <div>SelectGrab</div> <div>TQtClientFilter</div> <div>GetPointerGrabber</div> <div>GetButtonGrabber</div> <div>SetButtonGrabber</div> <div>GrabPointer</div> <div>PointerGrabber</div> <div>AppendButtonGrab</div> <div>RemoveButtonGrab</div> <div>Class</div> <div>Class_Name</div> <div>IsA</div> <div>ShowMembers</div>