

| TNamed |
|--------------|
| fName |
| fTitle |
| fglsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TDataSet | |
|----------------|----------------|
| kContinue | fParent |
| kPrune | fList |
| kStop | kMark |
| kUp | kArray |
| kStruct | kSet |
| kAll | kReset |
| kRefs | fglsA |
| kMarked | |
| fgMainSet | |
| @~TDataSet | instance |
| operator= | Path |
| SetMother | Pass |
| TDataSet | Pass |
| AddMain | PrintContents |
| SortIt | Purge |
| SortIt | Remove |
| GetRealParent | RemoveAt |
| MakeCollection | SetMother |
| TDataSet | SetObject |
| TDataSet | SetParent |
| TDataSet | SetWrite |
| Add | Shunt |
| AddAt | Sort |
| AddAtAndExpand | IsEmpty |
| AddFirst | IsFolder |
| AddLast | IsMarked |
| At | IsThisDir |
| Browse | Last |
| Clone | Is |
| Delete | Is |
| Find | Mark |
| FindByName | UnMark |
| FindByPath | MarkAll |
| FindByTitle | UnMarkAll |
| FindObject | InvertAllMarks |
| FindObject | Mark |
| First | Next |
| GetObjArray | Prev |
| GetCollection | Update |
| GetList | Update |
| GetListSize | Write |
| GetMainSet | Write |
| GetMother | Class |
| GetObject | Class_Name |
| GetParent | IsA |
| HasData | ShowMembers |
| Instance | |

| TObjectSet |
|--------------|
| kIsOwner |
| fObj |
| fglsA |
| @~TObjectSet |
| TObjectSet |
| TObjectSet |
| AddObject |
| Browse |
| Delete |
| DoOwner |
| HasData |
| GetObject |
| Instance |
| IsOwner |
| SetObject |
| SetObject |
| instance |
| Class |
| Class_Name |
| IsA |
| ShowMembers |
| Streamer |

| TVolume | |
|-------------------------|----------------------|
| kBothVisible | fListOfShapes |
| kSonUnvisible | fOption |
| kThisUnvisible | fVisibility |
| kNoneVisible | fglsA |
| fShape | |
| @~TVolume | GetIdentity |
| Add | GetObjectInfo |
| Add | GetOption |
| Add | GetShape |
| DistancetoNodePrimitive | GetListOfShapes |
| SetPositionsList | GetLocalRange |
| PaintNodePosition | GetVisibility |
| TVolume | GetListOfPositions |
| TVolume | Hash |
| TVolume | ImportShapeAttribute |
| TVolume | IsMarked |
| Add | Is3D |
| Add | Nodes |
| MapStNode2GEANTVPaint | Paint |
| MapGEANT2StNodeVPaint | PaintShape |
| Add | SetVisibility |
| Browse | Sizeof3D |
| CreateTNode | Class |
| DeletePosition | Class_Name |
| DistancetoPrimitive | IsA |
| Draw | ShowMembers |
| DrawOnly | Streamer |
| ExecuteEvent | |

| TAttLine | |
|--------------------|-------------------|
| fLineColor | fglsA |
| fLineStyle | |
| fl ineWidth | |
| @~TAttLine | SetLineAttributes |
| TAttLine | SetLineColor |
| TAttLine | SetLineStyle |
| Copy | SetLineWidth |
| DistancetoLine | Class |
| GetLineColor | Class_Name |
| GetLineStyle | IsA |
| GetLineWidth | ShowMembers |
| Modify | Streamer |
| ResetAttLine | StreamerNVirtual |
| SaveLineAttributes | |

| TAttFill | |
|--------------------|-------------------|
| fFillColor | fglsA |
| fFillStyle | |
| @~TAttFill | SetFillAttributes |
| TAttFill | SetFillColor |
| TAttFill | SetFillStyle |
| Copy | Class |
| GetFillColor | Class_Name |
| GetFillStyle | IsA |
| IsTransparent | ShowMembers |
| Modify | Streamer |
| ResetAttFill | StreamerNVirtual |
| SaveFillAttributes | |

| TAtt3D | |
|--------|--|
| | |