

| TObject              |                   |                      |
|----------------------|-------------------|----------------------|
| fUniqueID            | kIsReferenced     | kZombie              |
| fBits                | kHasUUID          | kBitMask             |
| fgDtorOnly           | kCannotPick       | kSingleKey           |
| fgObjectStat         | kNoContextMenu    | kOverwrite           |
| kCanDelete           | kInvalidObject    | kWriteDelete         |
| kMustCleanup         | kIsOnHeap         | fgIsA                |
| kObjInCanvas         | kNotDeleted       |                      |
| @~TObject            | GetOption         | operator new         |
| MakeZombie           | GetObjectInfo     | operator new@[[@]    |
| DoError              | GetTitle          | operator delete      |
| TObject              | HandleTimer       | operator delete@[[@] |
| TObject              | Hash              | operator delete      |
| operator=            | InheritsFrom      | operator delete@[[@] |
| AppendPad            | InheritsFrom      | SetBit               |
| Browse               | Inspect           | SetBit               |
| ClassName            | IsFolder          | ResetBit             |
| Clear                | IsEqual           | TestBit              |
| Clone                | IsSortable        | TestBits             |
| Compare              | IsOnHeap          | InvertBit            |
| Copy                 | IsZombie          | Info                 |
| Delete               | Notify            | Warning              |
| DistancetoPrimitives |                   | Error                |
| Draw                 | Paint             | SysError             |
| DrawClass            | Pop               | Fatal                |
| DrawClone            | Print             | AbstractMethod       |
| Dump                 | Read              | MayNotUse            |
| Execute              | RecursiveRemove   | GetDtorOnly          |
| Execute              | SavePrimitive     | SetDtorOnly          |
| ExecuteEvent         | SetDrawOption     | GetObjectStat        |
| FindObject           | SetUniqueID       | SetObjectStat        |
| FindObject           | UseCurrentStyle   | Class                |
| GetDrawOption        | Write             | Class_Name           |
| GetUniqueID          | Write             | IsA                  |
| GetName              | operator new      | ShowMembers          |
| GetIconName          | operator new@[[@] |                      |

| TNamed       |
|--------------|
| fName        |
| fTitle       |
| fgIsA        |
| @~TNamed     |
| TNamed       |
| TNamed       |
| TNamed       |
| TNamed       |
| operator=    |
| Clear        |
| Clone        |
| Compare      |
| Copy         |
| FillBuffer   |
| GetName      |
| GetTitle     |
| Hash         |
| IsSortable   |
| SetName      |
| SetNameTitle |
| SetTitle     |
| Is           |
| Print        |
| Sizeof       |
| Class        |
| Class_Name   |
| IsA          |
| ShowMembers  |

| TDataSet       |                |
|----------------|----------------|
| kContinue      | fParent        |
| kPrune         | fList          |
| kStop          | kMark          |
| kUp            | kArray         |
| kStruct        | kSet           |
| kAll           | kReset         |
| kRefs          | fgIsA          |
| kMarked        |                |
| fgMainSet      |                |
| @~TDataSet     | instance       |
| operator=      | Path           |
| SetMother      | Pass           |
| TDataSet       | Pass           |
| AddMain        | PrintContents  |
| SortIt         | Purge          |
| SortIt         | Remove         |
| GetRealParent  | RemoveAt       |
| MakeCollection | SetMother      |
| TDataSet       | SetObject      |
| TDataSet       | SetParent      |
| TDataSet       | SetWrite       |
| Add            | Shunt          |
| AddAt          | Sort           |
| AddAtAndExpand | IsEmpty        |
| AddFirst       | IsFolder       |
| AddLast        | IsMarked       |
| At             | IsThisDir      |
| Browse         | Last           |
| Clone          | Is             |
| Delete         | Is             |
| Find           | Mark           |
| FindByName     | UnMark         |
| FindByPath     | MarkAll        |
| FindByTitle    | UnMarkAll      |
| FindObject     | InvertAllMarks |
| FindObject     | Mark           |
| First          | Next           |
| GetObjArray    | Prev           |
| GetCollection  | Update         |
| GetList        | Update         |
| GetListSize    | Write          |
| GetMainSet     | Write          |
| GetMother      | Class          |
| GetObject      | Class_Name     |
| GetParent      | IsA            |
| HasData        | ShowMembers    |
| Instance       |                |

| TFileSet    |
|-------------|
| fgIsA       |
| @~TFileSet  |
| TFileSet    |
| TFileSet    |
| HasData     |
| IsEmpty     |
| IsFolder    |
| Class       |
| Class_Name  |
| IsA         |
| ShowMembers |
| Streamer    |