

| TGWindow | |
|---------------------|--------------------|
| fParent | kEditDisableLayout |
| fNeedRedraw | kEditDisableResize |
| fName | kEditDisableHeight |
| fgCounter | kEditDisableWidth |
| fEditDisabled | kEditDisableBtnEna |
| kEditEnable | kEditDisableKeyEna |
| kEditDisable | fgIsA |
| kEditDisableEvents | |
| kEditDisableGrab | |
| @-TGWindow | HandleTimer |
| TGWindow | HandleIdleEvent |
| TGWindow | Move |
| operator= | Resize |
| DoRedraw | MoveResize |
| TGWindow | IsMapped |
| TGWindow | IsEditable |
| GetParent | GetEditDisabled |
| GetMainFrame | SetEditDisabled |
| MapWindow | SetEditable |
| MapSubwindows | MustCleanup |
| MapRaised | Print |
| UnmapWindow | SetWindowName |
| DestroyWindow | GetName |
| DestroySubwindow | GetName |
| RaiseWindow | SetMapSubwindows |
| LowerWindow | IsMapSubwindows |
| IconifyWindow | GetCounter |
| ReparentWindowClass | |
| RequestFocus | Class_Name |
| SetBackgroundColor | IsA |
| SetBackgroundPixmap | ShowMembers |
| HandleExpose | |
| HandleEvent | |

| TGFrame | | | |
|--------------------------------|-------------------------------|-----------------|-------------------|
| fX | fBorderWidth | fgWhitePixel | fgLastButton |
| fY | fOptions | fgBlackPixel | fgDbx |
| fWidth | fBackground | fgBlackGC | fgDby |
| fHeight | fEventMask | fgWhiteGC | fgDbw |
| fMinWidth | fFE | fgHilightGC | fgUserColor |
| fMinHeight | fgInit | fgShadowGC | fgIsA |
| fMaxWidth | fgDefaultFrameBackgroundGC | | |
| fMaxHeight | fgDefaultSelectedBackgroundGC | | |
| @-TGFrame | HandleCrossing | Layout | GetFrameElement |
| GetLastClick | HandleMotion | MapSubwindows | SetFrameElement |
| GetSender | HandleKey | ReparentWindow | Contains |
| Draw3dRectangle | HandleFocusChange | MapWindow | GetFrameFromPoint |
| DoRedraw | HandleClientMessage | MapRaised | SetX |
| GetResourcePool | HandleSelection | UnmapWindow | SetY |
| GetOptionString | HandleSelectionRequestOrder | | SetWidth |
| StartGuiBuilding | HandleSelectionClear | Copy | SetHeight |
| TGFrame | HandleColorMapping | Change | SetMinWidth |
| operator= | HandleDragEnter | Active | SetMinHeight |
| GetDefaultFrameBackgroundGC | HandleDragLeave | Composite | SetMaxWidth |
| GetDefaultSelectedBackgroundGC | HandleDragMotion | Editable | SetMaxHeight |
| GetWhitePixel | HandleDragDrop | SetEditable | SetSize |
| GetBlackPixel | ProcessedEvent | SetLayoutBroken | Print |
| GetBlackGC | SendMessage | IsLayoutBroken | SaveUserColor |
| GetWhiteGC | ProcessMessage | SetCleanup | SavePrimitive |
| GetHilightGC | GetDefaultSize | SetDragType | Delete |
| GetShadowGC | Move | SetDropType | DrawClone |
| GetBckgndGC | Resize | GetDragType | DrawClass |
| TGFrame | Resize | GetDropType | Dump |
| TGFrame | MoveResize | GetWidth | Inspect |
| DeleteWindow | GetDefaultWidth | GetHeight | SetDrawOptions |
| ReallyDelete | GetDefaultHeight | GetMinWidth | Class |
| GetEventMask | GetBackground | GetMinHeight | Class_Name |
| AddInput | ChangeBackgroundColor | GetMaxWidth | IsA |
| RemoveInput | SetBackgroundColor | GetMaxHeight | ShowMembers |
| HandleEvent | GetForeground | GetSize | |
| HandleConfigureNotify | SetForegroundColor | GetX | |
| HandleButton | GetOptions | GetY | |
| HandleDoubleClick | ChangeOptions | GetBorderWidth | |

| TGCanvas |
|-------------------------|
| fVport |
| fHScrollbar |
| fVScrollbar |
| fScrolling |
| kCanvasNoScroll |
| kCanvasScrollHorizontal |
| kCanvasScrollVertical |
| kCanvasScrollBoth |
| fgIsA |
| @-TGCanvas |
| TGCanvas |
| operator= |
| TGCanvas |
| GetContainer |
| GetViewPort |
| GetHScrollbar |
| GetVScrollbar |
| AddFrame |
| SetContainer |
| MapSubwindows |
| DrawBorder |
| Layout |
| GetHsbPosition |
| GetVsbPosition |
| SetHsbPosition |
| SetVsbPosition |
| SetScrolling |
| GetScrolling |
| GetDefaultSize |
| ProcessMessage |
| SavePrimitive |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TGListView |
|-----------------------|
| fNColumns |
| fFontStruct |
| fColumns |
| fHeader |
| fJmode |
| fJustChanged |
| fScrolling |
| fViewMode |
| fMinColumnSize |
| fMaxSize |
| fgDefaultFont |
| fColHeader |
| fgDefaultGC |
| fColNames |
| fgIsA |
| fSplitHeader |
| fNormGC |
| @-TGListView |
| GetViewMode |
| GetDefaultFontStruct |
| GetHeader |
| GetDefaultGC |
| SavePrimitive |
| TGListView |
| SetIncrements |
| Layout |
| SetDefaultColumnWidth |
| LayoutHeader |
| SelectionChanged |
| ProcessMessage |
| Clicked |
| ScrollHeader |
| Clicked |
| SetContainer |
| DoubleClicked |
| AdjustHeaders |
| DoubleClicked |
| SetHeaders |
| Class |
| SetHeader |
| Class_Name |
| SetDefaultHeaderIsA |
| SetViewMode |
| ShowMembers |
| GetHeaderButtons |
| GetNumColumns |

| TQObject | | | |
|-----------------------|--------------------|---------------------|---------------|
| flistOfSignals | flistOfConnections | IsA | |
| @-TQObject | EmitVA | Emit | Destroyed |
| GetSender | Emit | Emit | ChangedBy |
| GetSenderClassName | Name | Emit | Message |
| ConnectToClass | Emit | Emit | Connect |
| ConnectToClass | Emit | Connect | Connect |
| CheckConnectArgument | Emit | Disconnect | Disconnect |
| TQObject | Emit | HighPriority | Disconnect |
| operator= | Emit | LowPriority | LoadRQ_OBJECT |
| TQObject | Emit | HasConnection | Class |
| GetListOfClassSignals | Signals | NumberOfSignals | Class_Name |
| GetListOfSignals | Emit | NumberOfConnections | |
| GetListOfConnections | Flags | Connected | ShowMembers |
| EmitVA | Emit | Disconnected | |