TGWindow

fParent | kEditDisableLayout
fNeedRedraw | kEditDisableResize
fName | kEditDisableHeight
fgCounter | kEditDisableWidth
fEditDisabled | kEditDisableBtnEnable
kEditEnable | kEditDisableKey
kEditDisable | fgIsA
kEditDisableEvents
kEditDisableGrab

@~TGWindow | HandleTimer
TGWindow | HandleIdleEvent
TGWindow | Move
operator= | Resize
DoRedraw | MoveResize
TGWindow | IsMapped
TGWindow | IsEditable
GetParent | GetEditDisabled
GetMainFrame | SetEditDisabled
MapWindow | SetEditable
MapSubwindows | MustCleanup
MapRaised | Print
UnmapWindow | SetWindowName
DestroyWindow | GetName
DestroySubwindows | SetName
RaiseWindow | SetMapSubwindows
LowerWindow | IsMapSubwindows
IconifyWindow | GetCounter
ReparentWindow | Class
RequestFocus | Class_Name
SetBackground | IsA
SetBackgroundPixmap | ShowMembers
HandleExpose
HandleEvent

TGFrame

fX | fBorderWidth | fgWhitePixel | fgLastButton
fY | fOptions | fgBlackPixel | fgDbx
fWidth | fBackground | fgBlackGC | fgDby
fHeight | fEventMask | fgWhiteGC | fgDbw
fMinWidth | fFE | fgHilightGC | fgUserColor
fMinHeight | fgInit | fgShadowGC | fgIsA
fMaxWidth | fgDefaultFrameBackground
fMaxHeight | fgDefaultSelectedBackground

@~TGFrame | HandleCrossing | Layout | GetFrameElement
GetLastClick | HandleMotion | MapSubwindows | SetFrameElement
GetSender | HandleKey | ReparentWindow | Contains
Draw3dRectangle | HandleFocusChange | MapWindow | GetFrameFromPoint
DoRedraw | HandleClientMessage | MapRaised | SetX
GetResourcePool | HandleSelection | UnmapWindow | SetY
GetOptionString | HandleSelectionClear | DrawBorder | SetWidth
StartGuiBuilding | HandleSelectionRequest | DrawCopy | SetHeight
TGFrame | HandleColormapChange | AppChange | SetMinWidth
operator= | HandleDragEnter | IsActive | SetMinHeight
GetDefaultFrameBackground | IsComposite | SetMaxWidth
GetDefaultSelectedBackground | IsEditable | SetMaxHeight
GetWhitePixel | HandleDragDrop | SetEditable | SetSize
GetBlackPixel | ProcessedEvent | SetLayoutBroken | Print
GetBlackGC | SendMessage | IsLayoutBroken | SaveUserColor
GetWhiteGC | ProcessMessage | SetCleanup | SavePrimitive
GetHilightGC | GetDefaultSize | SetDragType | Delete
GetShadowGC | Move | SetDropType | DrawClone
TGFrame | Resize | GetDragType | DrawClass
TGFrame | MoveResize | GetDropType | Dump
DeleteWindow | SetWidth | GetWidth | Inspect
ReallyDelete | SetDefaultWidth | GetHeight | SetDrawOption
GetEventMask | GetDefaultHeight | GetMinWidth | Class
AddInput | GetBackground | GetMinHeight | Class_Name
RemoveInput | SetBackground | GetMaxWidth | IsA
HandleEvent | GetForeground | GetMaxHeight | ShowMembers
HandleConfigureNotify | SetForeground | GetSize
HandleButton | GetOptions | GetColor
HandleDoubleClick | ChangeOptions | GetY
| | GetBorderWidth

TGCompositeFrame

fLayoutManager | MapSubwindows
fList | fgDefaultHints
fLayoutBroken | fgIsA
fMustCleanup

@~TGCompositeFrame | RemoveFrame
TGCompositeFrame | ShowFrame
operator= | HideFrame
TGCompositeFrame | GetState
TGCompositeFrame | IsVisible
GetList | IsVisible
GetDefaultWidth | IsArranged
GetDefaultHeight | IsArranged
GetDefaultSize | IsComposite
GetFrameFromPoint | IsEditable
TranslateCoordinates | SetEditable
MapSubwindows | SetLayoutBroken
Layout | IsLayoutBroken
HandleButton | SetEditDisabled
HandleDoubleClick | SetCleanup
HandleCrossing | MustCleanup
HandleMotion | Cleanup
HandleKey | SetMapSubwindows
HandleFocusChange | IsMapSubwindows
HandleSelection | Print
HandleDragEnter | ChangeSubframe
HandleDragLeave | SavePrimitive
HandleDragMotion | SavePrimitiveSubframes
HandleDragDrop | IsA
ChangeOptions | Class
ProcessMessage | Class_Name
GetLayoutManager | ShowMembers
SetLayoutManager
AddFrame

TGMdiDecorFrame

fPreResizeX | fUpperLeftCR
fPreResizeY | fLowerLeftCR
fPreResizeWidth | fUpperRightCR
fPreResizeHeight | fLowerRightCR
fMinimizedX | fLeftVR
fMinimizedY | fRightVR
fIsMinimized | fLHint
fIsMaximized | fExpandHint
fMinimizedUserPlacement | fEnterMask
fIsCurrent | fTitlebar
fFrame | kMdiBorderWidth
fMdiMainFrame | fgIsA
fUpperHR
fLowerHR

@~TGMdiDecorFrame | SetDecorBorderWidth
TGMdiDecorFrame | SetPreResizeX
HandleButton | SetPreResizeY
HandleConfigureNotify | SetPreResizeWidth
CloseWindow | SetPreResizeHeight
Layout | SetMinimizedX
Move | SetMinimizedY
MoveResize | Minimize
SetMdiButtons | Maximize
GetMdiButtons | SetMinUserPlacement
SetResizeMode | GetMdiFrame
SetWindowName | SetTitleBar
SetWindowIcon | GetUpperHR
GetWindowName | GetLowerHR
GetWindowIcon | GetUpperLeftCR
IsCurrent | GetLowerLeftCR
IsMinimized | GetUpperRightCR
IsMaximized | GetLowerRightCR
GetPreResizeX | GetLeftVR
GetPreResizeY | GetRightVR
GetPreResizeWidth | Class
GetPreResizeHeight | Class_Name
GetMinimizedX | IsA
GetMinimizedY | ShowMembers
GetMinUserPlacement
SetCurrent

TQObject

fListOfSignals | fListOfConnections | fgIsA

@~TQObject | EmitVA | Emit | Destroyed
GetSender | Emit | Emit | ChangedBy
GetSenderClassName | Emit | Emit | Message
ConnectToClass | Emit | Emit | Connect
ConnectToClass | Emit | Connect | Connect
CheckConnectArgs | Emit | Disconnect | Disconnect
TQObject | Emit | HighPriority | Disconnect
operator= | Emit | LowPriority | LoadRQ_OBJECT
TQObject | Emit | HasConnection | Class
GetListOfClasses | Emit | NumberOfSignals | Class_Name
GetListOfSignals | Emit | NumberOfConnections | IsA
GetListOfConnections | Emit | Connected | ShowMembers
EmitVA | Emit | Disconnected