

| TGFrame | | | |
|------------------------------|-------------------------------|-----------------|-------------------|
| fX | fBorderWidth | fgWhitePixel | fgLastButton |
| fY | fOptions | fgBlackPixel | fgDbx |
| fWidth | fBackground | fgBlackGC | fgDby |
| fHeight | fEventMask | fgWhiteGC | fgDbw |
| fMinWidth | fFE | fgHilightGC | fgUserColor |
| fMinHeight | fgInit | fgShadowGC | fgIsA |
| fMaxWidth | fgDefaultFrameBackgroundGC | fgBkgndGC | |
| fMaxHeight | fgDefaultSelectedBackgroundGC | fgBkgndGC | |
| @~TGFrame | | | |
| HandleCrossing | Layout | | GetFrameElement |
| HandleLastClick | HandleMotion | MapSubwindows | SetFrameElement |
| GetSender | HandleKey | ReparentWindow | Contains |
| Draw3dRectangle | HandleFocusChange | MapWindow | GetFrameFromPoint |
| DoRedraw | HandleClientMessage | MapRaised | SetX |
| GetResourcePool | HandleSelection | UnmapWindow | SetY |
| GetOptionString | HandleSelectionRequest | DrawBorder | SetWidth |
| StartGuiBuilding | HandleSelectionChange | DrawCopy | SetHeight |
| TGFrame | HandleColorMapChange | Arrange | SetMinWidth |
| operator= | HandleDragEnter | IsActive | SetMinHeight |
| GetDefaultFrameBackground | HandleDragLeave | Composite | SetMaxWidth |
| GetDefaultSelectedBackground | HandleDragDrop | Editable | SetMaxHeight |
| GetWhitePixel | HandleDragDrop | SetEditable | SetSize |
| GetBlackPixel | ProcessedEvent | SetLayoutBroken | Print |
| GetBlackGC | SendMessage | IsLayoutBroken | SaveUserColor |
| GetWhiteGC | ProcessMessage | SetCleanup | SavePrimitive |
| GetHilightGC | GetDefaultSize | SetDragType | Delete |
| GetShadowGC | Move | SetDropType | DrawClone |
| GetBckgndGC | Resize | GetDragType | DrawClass |
| TGFrame | Resize | GetDropType | Dump |
| TGFrame | MoveResize | GetWidth | Inspect |
| DeleteWindow | GetDefaultWidth | GetHeight | SetDrawOption |
| ReallyDelete | GetDefaultHeight | GetMinWidth | Class |
| GetEventMask | GetBackground | GetMinHeight | Class_Name |
| AddInput | ChangeBackground | GetMaxWidth | IsA |
| RemoveInput | SetBackground | GetMaxHeight | ShowMembers |
| HandleEvent | GetForeground | GetSize | |
| HandleConfigureReq | SetForeground | GetX | |
| HandleButton | GetOptions | GetY | |
| HandleDoubleClick | ChangeOptions | GetBorderWidth | |

| TGCompositeFrame | |
|----------------------|-----------------------|
| fLayoutManager | fMapSubwindows |
| fList | fgDefaultHints |
| fLayoutBroken | fgIsA |
| fMustCleanup | |
| @~TGCompositeFrame | |
| RemoveFrame | |
| ShowFrame | |
| operator= | HideFrame |
| TGCompositeFrame | GetState |
| TGCompositeFrame | IsVisible |
| GetList | IsVisible |
| GetDefaultWidth | IsArranged |
| GetDefaultHeight | IsArranged |
| GetDefaultSize | IsComposite |
| GetFrameFromPoint | IsEditable |
| TranslateCoordinates | IsEditable |
| MapSubwindows | SetLayoutBroken |
| Layout | IsLayoutBroken |
| HandleButton | SetEditDisabled |
| HandleDoubleClick | SetCleanup |
| HandleCrossing | MustCleanup |
| HandleMotion | Cleanup |
| HandleKey | SetMapSubwindows |
| HandleFocusChange | MapSubwindows |
| HandleSelection | Print |
| HandleDragEnter | ChangeSubframes |
| HandleDragLeave | SavePrimitive |
| HandleDragMotion | SavePrimitiveSubframe |
| HandleDragDrop | Class |
| ChangeOptions | Class_Name |
| ProcessMessage | IsA |
| GetLayoutManager | ShowMembers |
| SetLayoutManager | |
| AddFrame | |

| TGedFrame |
|-----------------|
| fModel |
| fPad |
| fInit |
| fAvoidSignal |
| fTab |
| fgIsA |
| @~TGedFrame |
| MakeTitle |
| operator= |
| GetModel |
| GetPad |
| GetDrawOption |
| RecursiveRemove |
| Refresh |
| SetActive |
| SetDrawOption |
| SetModel |
| Update |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TGWidget |
|--------------|
| fWidgetId |
| fWidgetFlags |
| fMsgWindow |
| fCommand |
| fgIsA |
| @~TGWidget |
| TGWidget |
| operator= |
| SetFlags |
| ClearFlags |
| TGWidget |
| TGWidget |
| WidgetId |
| IsEnabled |
| HasFocus |
| WantFocus |
| Associate |
| SetCommand |
| GetCommand |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TPadEditor |
|----------------------|
| fPadPointer |
| fEditable |
| fCrosshair |
| fFixedAR |
| fGridX |
| fGridY |
| fLogX |
| fLogY |
| fLogZ |
| fTickX |
| fTickY |
| fBmode |
| fBmode0 |
| fBmode1 |
| fBsize |
| fBgroup |
| fgIsA |
| @~TPadEditor |
| ConnectSignals2Slots |
| TPadEditor |
| DoEditable |
| DoCrosshair |
| DoFixedAspectRatio |
| DoGridX |
| DoGridY |
| DoLogX |
| DoLogY |
| DoLogZ |
| DoTickX |
| DoTickY |
| DoBorderMode |
| DoBorderSize |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TQObject | | | |
|-----------------------|--------------------|---------------------|---------------|
| fListofSignals | fListofConnections | fgIsA | |
| @~TQObject | | | |
| EmitVA | Emit | Emit | Destroyed |
| GetSender | Emit | Emit | ChangedBy |
| GetSenderClassName | Emit | Emit | Message |
| ConnectToClass | Emit | Emit | Connect |
| ConnectToClass | Emit | Connect | Connect |
| CheckConnectArgs | Emit | Disconnect | Disconnect |
| TQObject | Emit | HighPriority | Disconnect |
| operator= | Emit | LowPriority | LoadRQ_OBJECT |
| TQObject | Emit | HasConnection | Class |
| GetListOfClassSignals | Emit | NumberOfSignals | Class_Name |
| GetListOfSignals | Emit | NumberOfConnections | |
| GetListOfConnections | Emit | Connected | ShowMembers |
| EmitVA | Emit | Disconnected | |