

| TObject | | |
|---------------------|------------------|---------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[C] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[C] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitive | Is | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | GetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TSelector |
|----------------|
| kContinue |
| kAbortProcess |
| kAbortFile |
| fStatus |
| fAbort |
| fOption |
| fObject |
| fInput |
| fOutput |
| fgIsA |
| @~TSelector |
| TSelector |
| operator= |
| TSelector |
| Version |
| Init |
| Begin |
| SlaveBegin |
| Notify |
| GetOption |
| GetStatus |
| GetEntry |
| ProcessCut |
| ProcessFill |
| Process |
| SetOption |
| SetObject |
| SetInputList |
| SetStatus |
| GetOutputList |
| SlaveTerminate |
| Terminate |
| Abort |
| GetAbort |
| GetSelector |
| IsStandardDraw |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TProofDraw |
|---------------------|
| fTreeDrawArgsParser |
| fStatus |
| fSelection |
| fInitialExp |
| fManager |
| fTree |
| fVar[4] |
| fSelect |
| fMultiplicity |
| fObjEval |
| fDimension |
| kWarn |
| fgIsA |
| @~TProofDraw |
| SetError |
| CompileVariables |
| ClearFormula |
| ProcessSingle |
| DoFill |
| DefVar |
| Version |
| Init |
| Begin |
| SlaveBegin |
| Notify |
| Process |
| SlaveTerminate |
| Terminate |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TProofDrawEventList |
|-----------------------|
| fEList |
| fEventLists |
| fgIsA |
| @~TProofDrawEventList |
| DoFill |
| DefVar |
| TProofDrawEventList |
| Init |
| SlaveBegin |
| SlaveTerminate |
| Terminate |
| Class |
| Class_Name |
| IsA |
| ShowMembers |