

| TObject | | |
|---------------------|------------------|---------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| | | |
| @-TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitive | | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TNamed | |
|--------------|--|
| fName | |
| fTitle | |
| fgIsA | |
| | |
| @-TNamed | |
| TNamed | |
| TNamed | |
| TNamed | |
| TNamed | |
| operator= | |
| Clear | |
| Clone | |
| Compare | |
| Copy | |
| FillBuffer | |
| GetName | |
| GetTitle | |
| Hash | |
| IsSortable | |
| SetName | |
| SetNameTitle | |
| SetTitle | |
| Is | |
| Print | |
| Sizeof | |
| Class | |
| Class_Name | |
| IsA | |
| ShowMembers | |

| TTree | | | | |
|--------------------|---------------------|------------------------|----------------------|-------------------|
| fEntries | fEstimate | fNotify | fClones | kGetLeaf |
| fTotBytes | fCacheSize | fDirectory | fBranchRef | kLoadTree |
| fZipBytes | fChainOffset | fBranches | fFriendLockStatus | Print |
| fSavedBytes | fReadEntry | fLeaves | fgBranchStyle | kRemoveFriend |
| fWeight | fTotalBuffers | fAliases | fgMaxTreeSize | kSetBranchStatus |
| fTimeInterval | fPacketSize | fEventList | kFindBranch | kForceRead |
| fScanField | fNfill | fIndexValues | kFindLeaf | kCircular |
| fUpdate | fDebug | fIndex | kGetAlias | fgIsA |
| fMaxEntries | fDebugMin | fTreeIndex | kGetBranch | |
| fMaxEntryLoop | fDebugMax | fFriends | kGetEntry | |
| fMaxVirtualSize | fMakeClass | fUserInfo | kGetEntryWithIndex | |
| fAutoSave | fFileName | fPlayer | kGetFriendAlias | |
| | | | | |
| @-TTree | Draw | GetIndex | GetV2 | SetBranchStatus |
| TTree | Draw | GetIndexValues | GetV3 | SetBranchStyle |
| operator= | Draw | GetIteratorOnAllClones | GetV4 | SetCacheSize |
| AddClone | DropBaskets | GetLeaf | GetW | SetChainOffset |
| GetNameByIndex | DropBuffers | GetListOfClones | GetWeight | SetCircular |
| KeepCircular | Fill | GetListOfBranches | GetZipBytes | SetDebug |
| MakeIndex | FindBranch | GetListOfLeaves | IncrementTotalBytes | SetDirectory |
| ChangeFile | FindLeaf | GetListOfFriends | IsFolder | SetEntries |
| BranchImp | Fit | GetListOfAliases | LoadBaskets | SetEstimate |
| BranchImp | GetAlias | GetMakeClass | LoadTree | SetFileNumber |
| CheckBranchAddress | GetAlias | GetMaximumLoopLoad | TreeFriend | SetEventList |
| TTree | GetBranchRef | GetMaximum | MakeClass | SetMakeClass |
| TTree | GetBranchStatus | GetMaxTreeSize | MakeCode | SetMaxEntryLoop |
| AddFriend | GetBranchStyle | GetMaxVirtualSize | MakeProxy | SetMaxTreeSize |
| AddFriend | GetCacheSize | GetMinimum | MakeSelector | SetMaxVirtualSize |
| AddFriend | GetChainEntryNumber | GetNBranches | MemoryFull | SetName |
| AddTotBytes | GetChainOffset | GetNotify | Merge | SetNotify |
| AddZipBytes | GetCurrentFile | GetPlayer | MergeTrees | SetObject |
| AutoSave | GetDebugMax | GetPacketSize | Notify | SetScanField |
| Branch | GetDebugMin | GetReadEntry | Principal | SetTimeInterval |
| Branch | GetDirectory | GetReadEvent | Print | SetTreeIndex |
| Branch | GetEntries | GetScanField | Process | SetWeight |
| Branch | GetEntries | GetSelect | Process | SetUpdate |
| Bronch | GetEntriesFast | GetSelectedRow | Project | Show |
| BranchOld | GetEntriesFriend | GetTimeInterval | Query | StartViewer |
| BranchRef | GetEstimate | GetTotBytes | ReadFile | UnbinnedFit |
| Browse | GetEntry | GetTree | Refresh | UseCurrentStyle |
| BuildIndex | GetEvent | GetTreeIndex | RemoveFriend | Class |
| BuildStreamerInfo | GetEntryWithIndex | GetTreeNumber | Reset | Class_Name |
| CloneTree | GetEntryNumber | GetTreeIndex | ResetBranchAddresses | Classes |
| CopyAddresses | GetEntryNumber | GetUserInfo | Scan | ShowMembers |
| CopyEntries | GetEventList | GetVar1 | SetAlias | Streamer |
| CopyTree | GetEntryNumber | GetVar2 | SetAutoSave | StreamerNVirtual |
| CreateBasket | GetFileName | GetVar3 | SetBasketSize | Branch |
| Debug | GetFriendAlias | GetVar4 | SetBranchAddress | |
| Delete | GetHistogram | GetV1 | SetBranchAddress | |

| TAttLine | | | | |
|------------|--------------|--------------------|-------------|------------------|
| fLineColor | fLineStyle | fLineWidth | fgIsA | |
| @-TAttLine | GetLineColor | SaveLineAttributes | Class | StreamerNVirtual |
| TAttLine | GetLineStyle | SetLineAttributes | Class_Name | |
| TAttLine | GetLineWidth | SetLineColor | IsA | |
| Copy | Modify | SetLineStyle | ShowMembers | |