

| TObject | | |
|----------------------|-------------------|----------------------|
| fUniqueID | kNotDeleted | kWriteDelete |
| fBits | kZombie | fglsA |
| fgDtorOnly | kBitMask | |
| fgObjectStat | kSingleKey | |
| kIsOnHeap | kOverwrite | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitives | Is | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[[@] | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fglsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| TStreamerElement | |
|--------------------|-------------------|
| fType | fFactor |
| fSize | kSTL |
| fArrayLength | kSTLstring |
| fArrayDim | kSTLvector |
| fMaxIndex[5] | kSTLlist |
| fOffset | kSTLdeque |
| fToObjectOffset | kSTLmap |
| fNewType | kSTLset |
| fTypeName | kSTLmultimap |
| fClassObject | kSTLmultiset |
| fStreamer | kHasRange |
| fMethod | fglsA |
| fXmin | |
| fXmax | |
| @~TStreamerElement | GetXmax |
| TStreamerElement | Init |
| TStreamerElement | IsaPointer |
| CannotSplit | IsOldFormat |
| GetArrayDim | IsBase |
| GetArrayLength | Is |
| GetClassPointer | SetArrayDim |
| GetClass | SetMaxIndex |
| GetExecID | SetOffset |
| GetFullName | SetToObjectOffset |
| GetInclude | SetStreamer |
| GetMaxIndex | SetSize |
| GetMethod | SetNewType |
| GetStreamer | SetType |
| GetSize | SetTypeName |
| GetNewType | Update |
| GetType | Class |
| GetOffset | Class_Name |
| GetToObjectOffset | IsA |
| GetTypeName | ShowMembers |
| GetTypeNameBasic | Streamer |
| GetFactor | StreamerNVirtual |
| GetXmin | |

| TStreamerBase |
|------------------|
| fBaseVersion |
| fBaseClass |
| fglsA |
| @~TStreamerBase |
| TStreamerBase |
| TStreamerBase |
| GetBaseVersion |
| GetClassPointer |
| GetInclude |
| GetMethod |
| GetSize |
| Init |
| IsBase |
| Is |
| ReadBuffer |
| SetBaseVersion |
| Update |
| WriteBuffer |
| Class |
| Class_Name |
| IsA |
| ShowMembers |
| Streamer |
| StreamerNVirtual |