

| TObject | | | TArchiveMember | TZIPMember |
|---------------------|--------------------|-----------------------|----------------|------------|
| fUniqueID | kIsReferenced | kZombie | fName | fLocal |
| fBits | kHasUUID | kBitMask | fComment | fLocalLen |
| fgDtorOnly | kCannotPick | kSingleKey | fModTime | fGlobal |
| fgObjectStat | kNoContextMenu | kOverwrite | fPosition | fGlobalLen |
| kCanDelete | kInvalObject | kWriteDelete | fFilePath | fCRC32 |
| kMustCleanup | kIsOnHeap | fgIsA | fCsize | fAttrInt |
| kObjInCanvas | kNotDeleted | | fDsize | fAttrExt |
| @~TObject | GetOption | operator new | fDirectory | fMethod |
| MakeZombie | GetObjectInfo | operator new[@[@]] | fgIsA | fLevel |
| DoError | GetTitle | operator delete | | |
| TObject | HandleTimer | operator delete[@[@]] | | |
| TObject | Hash | operator delete | | |
| operator= | InheritsFrom | operator delete[@[@]] | | |
| AppendPad | InheritsFrom | SetBit | | |
| Browse | Inspect | SetBit | | |
| ClassName | IsFolder | ResetBit | | |
| Clear | isEqual | TestBit | | |
| Clone | IsSortable | TestBits | | |
| Compare | IsOnHeap | InvertBit | | |
| Copy | IsZombie | Info | | |
| Delete | Notify | Warning | | |
| DistanceToPrimitive | Is | Error | | |
| Draw | Paint | SysError | | |
| DrawClass | Pop | Fatal | | |
| DrawClone | Print | AbstractMethod | | |
| Dump | Read | MayNotUse | | |
| Execute | RecursiveRemove | GetDtorOnly | | |
| Execute | SavePrimitive | SetDtorOnly | | |
| ExecuteEvent | SetDrawOption | GetObjectStat | | |
| FindObject | SetUniqueId | SetObjectStat | | |
| FindObject | UseCurrentStyle | Class | | |
| GetDrawOption | Write | Class_Name | | |
| GetUniqueId | Write | IsA | | |
| GetName | operator new | ShowMembers | | |
| GetIconName | operator new[@[@]] | | | |