

| TObject | | | TFree |
|---------------------|--------------------|-----------------------|------------------|
| fUniqueID | kIsReferenced | kZombie | fFirst |
| fBits | kHasUUID | kBitMask | fLast |
| fgDtorOnly | kCannotPick | kSingleKey | fglsA |
| fgObjectStat | kNoContextMenu | kOverwrite | |
| kCanDelete | kInvalObject | kWriteDelete | |
| kMustCleanup | kIsOnHeap | fglsA | |
| kObjInCanvas | kNotDeleted | | |
| @~TObject | GetOption | operator new | @~TFree |
| MakeZombie | GetObjectInfo | operator new[@[@]] | TFree |
| DoError | GetTitle | operator delete | TFree |
| TObject | HandleTimer | operator delete[@[@]] | AddFree |
| TObject | Hash | operator delete | FillBuffer |
| operator= | InheritsFrom | operator delete[@[@]] | GetBestFree |
| AppendPad | InheritsFrom | SetBit | GetFirst |
| Browse | Inspect | SetBit | GetLast |
| ClassName | IsFolder | ResetBit | ReadBuffer |
| Clear | isEqual | TestBit | SetFirst |
| Clone | IsSortable | TestBits | SetLast |
| Compare | IsOnHeap | InvertBit | Sizeof |
| Copy | IsZombie | Info | Class |
| Delete | Notify | Warning | Class_Name |
| DistancetoPrimitive | Is | Error | IsA |
| Draw | Paint | SysError | ShowMembers |
| DrawClass | Pop | Fatal | Streamer |
| DrawClone | Print | AbstractMethod | StreamerNVirtual |
| Dump | Read | MayNotUse | |
| Execute | RecursiveRemove | GetDtorOnly | |
| Execute | SavePrimitive | SetDtorOnly | |
| ExecuteEvent | SetDrawOption | GetObjectStat | |
| FindObject | SetUniqueId | SetObjectStat | |
| FindObject | UseCurrentStyle | Class | |
| GetDrawOption | Write | Class_Name | |
| GetUniqueId | Write | IsA | |
| GetName | operator new | ShowMembers | |
| GetIconName | operator new[@[@]] | | |