

| TObject | | TNamed | | TH1 | | | | RooPlot | |
|--|----------------------------|--------------------------------------|----------|--|---------------------------|------------------------|--------------------------|---------------|--------------------|
| fUniqueID | kIsReference kZombie | fName | fTitle | fNcells | fTsumw | fContour | fDimension | kUserContour | _items |
| fBits | kHasUUID kBitMask | fglsA | @~TNamed | fXaxis | fTsumw2 | fSumw2 | fIntegral | kCanRebin | _normBinWidth |
| fgDtorOnly | kCannotPickSingleKey | TNamed | TNamed | fYaxis | fTsumwx | fOption | fPainter | kLogX | _padFactor |
| fgObjectStakNoContext | kOverwrite | TNamed | TNamed | fZaxis | fTsumwx2 | fFunctions | fgBufferSize | kIsZoomed | _iterator |
| kCanDelete | klnvalidObjId kWriteDelete | | | fBarOffset | fMaximum | fBufferSize | fgAddDirective | kNoTitle | _plotVarClone |
| kMustCleanUpOnHeap | fglsA | | | fBarWidth | fMinimum | fBuffer | fgStatOverflow | fglsA | _defYmin |
| kObjInCanvasNotDeleted | | | | fEntries | fNormFacto | fDirectory | kNoStats | | _defYmax |
| @~TObject GetOption operator new | | @~TObject GetObjectIn operator new @ | | @~TH1 FillIN GetCellContentIntegral SetContour | | @~RooPlot getAttFill | | | |
| DoError | GetTitle operator delete | operator= | TNamed | AxisChoice | FillRandom | GetCellErrorIntegral | SetContourLevel | RooPlot | getAttMarker |
| TObject | HandleTime operator delete | Clear | | Build | FillRandom | GetCenter | KolmogorovSetDefaultBuff | RooPlot | getAttText |
| TObject | Hash operator delete | Clone | | FitOptionsMarkedBin | GetDirectoryLabelsDeflate | GetDefaultDirectory | SetDirectory | RooPlot | getCurve |
| operator= InheritsFrom operator delete | InheritsFrom | Compare | | TH1 | FindObject | GetEntries | LabelsInflate | RooPlot | getHist |
| AppendPad InheritsFrom SetBit | | Copy | | TH1 | FindObject | GetFunctionLabelsOptio | SetError | RooPlot | drawBefore |
| Browse | Inspect SetBit | FillBuffer | | TH1 | Fit | GetDimensionMerge | SetLabelColor | RooPlot | drawAfter |
| ClassName | IsFolder ResetBit | GetName | | TH1 | Fit | GetKurtosisMultiply | SetLabelFont | GetBinContent | drawOptions |
| Clear | isEqual TestBit | GetTitle | | Copy | FitPanel | GetLowEdgeMultiply | SetLabelOffset | GetBinContent | drawOptions |
| Clone | IsSortable TestBits | Hash | | BufferFill | GetAsymmetryMaximum | SetMaximum | GetLabelSize | GetBinContent | drawOptions |
| Compare | IsOnHeap InvertBit | IsSortable | | FindNewAxis | GetBufferLength | SetMaximum | GetLabelSize | GetBinContent | drawOptions |
| Copy | IsZombie Info | SetName | | SavePrimitive | GetBufferSize | SetMaximum | SetMaximum | Draw | setInvisible |
| Delete | Notify Warning | SetNameTitle | | Recompute | GetBubbles | SetMaximum | SetName | nameOf | SetMaximum |
| DistanceToPrimitive | Error | SetTitle | | SameLimits | GetBubbles | SetMaximum | SetNameTitle | findObject | SetMinimum |
| Draw | Paint SysError | Is | | TH1 | GetIntegral | GetMinimumBin | SetNdivisions | getObject | chiSquare |
| DrawClass | Pop Fatal | Print | | Add | GetListOfFunctions | GetMinimumBin | SetNdivisions | numItems | chiSquare |
| DrawClone | Print AbstractMethod | Sizeof | | Add | GetNdivision | GetMinimumBin | SetNormFactor | addPlotable | pullHist |
| Dump | Read MayNotUse | Class | | Add | GetAxisColor | GetMinimumBin | SetStats | addObject | initialize |
| Execute | RecursiveR GetDtorOnly | Class_Name | | AddBinContent | GetLabelCol | GetMeanErr | SavePrimitive | addTH1 | histName |
| Execute | SavePrimitive SetDtorOnly | IsA | | AddBinContent | GetLabelForNBinsX | Scale | SetTickLength | printToStream | aller |
| ExecuteEvent | SetDrawOpt SetObjectStat | ShowMembers | | AddBinContent | GetLabelOffSetNBinsY | SetTitle | | Print | updateYAxis |
| FindObject | SetUniqueID SetObjectStat | | | ComputeIntegral | GetTickLength | SetOption | | getPlotVar | updateFitRangeNorm |
| FindObject | UseCurrentStyles | | | DistanceToPrimitive | SetBinContent | SetSmooth | | getFitRange | FitRangeNorm |
| GetDrawOptWrite | Class_Name | | | Divide | GetBarWidth | GetQuantile | SetBinContent | getFitRange | NoPlot |
| GetUniqueIdWrite | IsA | | | Divide | GetContour | GetRandom | SetBinError | getFitRange | Blank |
| GetName | operator new howMembers | | | Divide | GetContour | GetStats | SetOverflows | getPadFacto | Class_Name |
| GetIconName | operator new @[@] | | | Draw | GetContour | GetStats | Sumw2 | setPadFacto | isA |
| | | | | DrawCopy | GetBin | GetSumw2 | SetBins | updateNorm | ShowMembers |
| | | | | DrawNormal | GetBinCenter | GetSumw2N | SetBins | getNormVars | |
| | | | | DrawPanel | GetBinContent | GetRMS | SetBins | getAttLine | |
| | | | | BufferEmpty | GetBinContent | GetRMSError | SetBins | | |
| | | | | Eval | GetBinContent | GetSkewness | SetBins | | |
| | | | | ExecuteEvent | GetBinError | GetXaxis | SetBinsLength | | |
| | | | | Fill | GetBinError | GetYaxis | SetBuffer | | |
| | | | | Fill | GetBinError | GetZaxis | SetCellContent | | |
| | | | | Fill | GetBinLowEdgeIntegral | | SetCellError | | |
| | | | | FillIN | GetBinWidthIntegral | | SetContent | | |

TAttLine

| | | | | |
|--|--------------|----------------|-------------|--|
| fLineColor | fLineStyle | fLineWidth | fglsA | |
| @~TAttLine GetLineColor SaveLineAttList StreamerNVirtual | | | | |
| TAttLine | GetLineStyle | SetLineAttList | Class_Name | |
| TAttLine | GetLineWidth | SetLineColors | A | |
| Copy | Modify | SetLineStyle | ShowMembers | |
| DistanceToLine | ResetAttList | SetLineWidth | Streamer | |

RooPrintable

| | |
|----------------|------------------|
| InLine | Verbose |
| OneLine | fglsA |
| Standard | |
| Shape | |
| @~RooPrintable | |
| RooPrintable | Class_Name |
| printToStream | A |
| parseOptions | ShowMembers |
| lessVerbose | Streamer |
| inLinePrint | StreamerNVirtual |
| oneLinePrint | |
| defaultStream | |