

| TObject | | |
|---------------------|------------------|---------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitive | Is | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fgIsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| RooAbsGenContext |
|--------------------|
| _prototype |
| _theEvent |
| _isValid |
| _verbose |
| _expectedEvents |
| _protoVars |
| _nextProtoIndex |
| _extendMode |
| _protoOrder |
| fgIsA |
| @~RooAbsGenContext |
| generate |
| isValid |
| setVerbose |
| isVerbose |
| setProtoDataOrder |
| printToStream |
| Print |
| initGenerator |
| generateEvent |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| RooAddGenContext |
|--------------------|
| _vars |
| _pdfSet |
| _pdf |
| _gcList |
| _nComp |
| _coefThresh |
| fgIsA |
| @~RooAddGenContext |
| RooAddGenContext |
| setProtoDataOrder |
| initGenerator |
| generateEvent |
| updateThresholds |
| RooAddGenContext |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| RooPrintable |
|------------------|
| InLine |
| OneLine |
| Standard |
| Shape |
| Verbose |
| fgIsA |
| @~RooPrintable |
| RooPrintable |
| printToStream |
| parseOptions |
| lessVerbose |
| inLinePrint |
| oneLinePrint |
| defaultStream |
| Class |
| Class_Name |
| IsA |
| ShowMembers |
| Streamer |
| StreamerNVirtual |