

| TObject | | |
|---------------|-----------------|-----------------|
| fUniqueID | kIsReference | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStack | kNoContextMenu | kWrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanUp | kIsOnHeap | fgIsA |
| kObjInCanvas | Not Deleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@ |
| DoError | GetTitle | operator delete |
| TObject | HandleTime | operator delete |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistanceTo | Primitive | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRead | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOpt | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | IsAs |
| GetDrawOpt | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@ | [@] |

| TVirtualPad | | | |
|-----------------|----------------|-----------------|----------------|
| fResizing | fgIsA | | |
| @~TVirtualPad | Uxmax | PaintBox | SetPad |
| GetSender | GetUymax | PaintFillArea | SetPad |
| AbsCoordinate | GetGridx | PaintFillArea | SetAttFillPS |
| AbsPixeltoX | GetGridy | PaintPadFrame | SetAttLinePS |
| AbsPixeltoY | GetTickx | PaintLine | SetAttMarkerPS |
| AddExec | GetTicky | PaintLineNDC | SetAttTextPS |
| cd | GetX1 | PaintLine3D | SetName |
| Clear | GetX2 | PaintLine3D | SetSelected |
| Close | GetY1 | PaintPolyLine | SetTicks |
| CopyPixmap | GetY2 | PaintPolyLine | SetTickx |
| CopyPixmap | GetListOfPr | PaintPolyLine | SetTicky |
| DeleteExec | GetListOfEx | PaintPolyLine | SetMode |
| Divide | GetPrimitive | PaintPolyMask | SetTheta |
| Draw | GetSelected | PaintPolyMask | SetPhi |
| DrawClassObject | GetPad | PaintModified | SetToolTipText |
| DrawFrame | GetPadPoint | PaintText | SetVertical |
| GetBorderMode | GetPadSave | PaintTextNDC | SetView |
| GetBorderSize | GetSelected | PixeltoX | SetViewer3D |
| GetCanvasID | GetView | PixeltoY | WaitPrimitive |
| GetCanvas | GetLogx | Pop | Update |
| GetVirtCanvas | GetLogy | Print | UtoAbsPixel |
| GetEvent | GetLogz | Print | VtoAbsPixel |
| GetEventX | GetMother | Range | UtoPixel |
| GetEventY | GetName | RangeAxis | VtoPixel |
| GetFrame | GetTitle | RecursiveRead | XtoAbsPixel |
| GetHighLight | GetPadPaint | RedrawAxis | YtoAbsPixel |
| GetNumber | GetPixmapID | ResetView3D | XtoPad |
| GetRange | GetView3D | ResizePad | YtoPad |
| GetRangeAxis | HasCrosshair | SaveAs | XtoPixel |
| GetPadPar | HighLight | SetBatch | YtoPixel |
| GetXlowNDC | HasFixedAspect | SetBorderMode | CreateToolTip |
| GetXlowNDCs | Batch | SetBorderSize | DeleteToolTip |
| GetWNDC | IsBeingResized | Canvas | ResetToolTip |
| GetHNDNC | IsEditable | SetCanvasSize | CreateToolTip |
| GetWw | IsModified | SetCrosshair | GetViewer3D |
| GetWh | IsRetained | SetCursor | ReleaseViewer |
| GetAbsXlowNDC | IsOptical | SetDoubleBuffer | GetGLDevice |
| GetAbsYlowNDC | IsNDC | SetEditable | SetCopyGLDev |
| GetAbsWNDC | Modified | SetFixedAspect | PadRatio |
| GetAbsHND | OpaqueMoving | Grid | Class |
| GetAspectRatio | OpaqueResizing | Gridx | Class_Name |
| GetPhi | PadtoX | SetGridy | IsA |
| GetTheta | PadtoY | SetLogx | ShowMembers |
| GetUxmin | Paint | SetLogy | |
| GetUymin | PaintBorder | SetLogz | |

| TAttLine | | | |
|--------------|--------------|--------------|-----------------|
| fLineColor | fLineWidth | | |
| fLineStyle | fgIsA | | |
| @~TAttLine | GetLineStyle | SetLineColor | ShowMembers |
| TAttLine | GetLineWidth | SetLineStyle | Streamer |
| TAttLine | Modify | SetLineWidth | StreamerN Virtu |
| Copy | ResetAttLine | Class | |
| DistanceTo | SaveLineAttr | Class Name | |
| GetLineColor | SetLineAttr | IsAs | |

| TPad | | | | | | |
|----------------|-----------------|---------------------|----------------|-----------------|--------------------|-----------------|
| fTip | fUtoPixelk | fYlowNDC | fPhi | fPadPaint | fCanvas | kHori |
| fx1 | fUtoPixel | fWNDC | fAspectRatio | fCrosshair | fPrimitives | kClearAfterCR |
| fy1 | fVtoAbsPixel | fHNDNC | fPixmapID | fCrosshairPS | fExecs | kPrintingPS |
| fx2 | fVtoPixelk | fAbsXlowNDC | fGLDevice | fBorderSize | fName | kCannotMove |
| fy2 | fVtoPixel | fAbsYlowNDC | fCopyGLDev | fBorderMode | fTitle | fgIsA |
| fXtoAbsPixel | fAbsPixeltoX | fAbsWNDC | fEmbedded | fModified | fFrame | |
| fXtoPixelk | fPixeltoXk | fAbsHNDC | fNumber | fGridx | fView | |
| fXtoPixel | fPixeltoX | fUxmin | fTickx | fGridy | fPadPointer | |
| fYtoAbsPixel | fAbsPixeltoY | fUymin | fTicky | fAbsCoord | fPadView3D | |
| fYtoPixelk | fPixeltoYk | fUxmax | fLogx | fEditable | fgMaxPickDistance | |
| fYtoPixel | fPixeltoY | fUymax | fLogy | fFixedAspect | fViewer3D | |
| fUtoAbsPixel | fYlowNDC | fTheta | fLogz | fMother | kFraming | |
| | | | | | | |
| @~TPad | CopyPixmap | GetAbsWNDC | GetLogz | PaintLineNDC | SetCrosshair | SetViewer3D |
| DestroyEvent | CopyPixmap | GetAbsHND | GetMother | PaintLine3D | SetCursor | SetCopyGLDevice |
| DistanceTo | PrimitiveExec | GetAspectRatio | GetName | PaintLine3D | SetDoubleBuffer | Update |
| ExecuteEvent | Divide | GetPhi | GetTitle | PaintPolyLine | SetDrawOpt | UtoAbsPixel |
| HideToolTip | Draw | GetTheta | GetCanvas | PaintPolyLine | SetEditable | VtoAbsPixel |
| PaintBorder | DrawClassObject | GetUxmin | GetVirtCanvas | PaintPolyLine | SetFixedAspect | UtoPixel |
| PaintBorder | DrawColorTable | GetUymin | GetPadPaint | PaintPolyLine | SetNDC | VtoPixel |
| PaintDate | DrawCrosshair | GetUxmax | GetPixmapID | PaintPolyMask | SetGridx | WaitPrimitive |
| SavePrimitive | DrawFrame | GetUymax | Hash | PaintPolyMask | SetGridy | XtoAbsPixel |
| SetBatch | FindObject | GetGridx | HasCrosshair | PaintModified | SetFillStyle | YtoAbsPixel |
| TPad | FindObject | GetGridy | HighLight | PaintText | SetLogx | XtoPad |
| operator= | UseCurrentStyle | fNumber | HasFixedAspect | PaintRatioNDC | SetLogy | YtoPad |
| CopyBackground | GetBorderMode | SetTickx | IsBatch | Pick | SetLogz | XtoPixel |
| CopyBackground | GetBorderSize | SetTicky | IsEditable | PixeltoX | SetNumber | YtoPixel |
| TPad | GetCrosshair | GetX1 | IsFolder | PixeltoY | SetPad | XYtoAbsPixel |
| TPad | GetCanvasID | GetX2 | IsModified | PixeltoXY | SetPad | XYtoPixel |
| AbsCoordinate | SetFrame | GetY1 | IsRetained | Pop | SetAttFillPS | CreateToolTip |
| AbsPixeltoX | GetEvent | GetY2 | IsVertical | Print | SetAttLinePS | DeleteToolTip |
| AbsPixeltoY | GetEventX | GetMaxPickDistance | Print | SetAttMarkerPS | SetToolTip | |
| AbsPixeltoX | GetEventY | GetListOfPrimitives | Range | SetAttTextPS | SetCloseToolTip | |
| AddExec | GetHighLight | GetListOfEx | OpaqueMoving | RangeChange | SetMaxPickDistance | |
| AutoExec | GetRange | GetPrimitive | OpaqueResizing | RangeAxis | SetName | GetViewer3D |
| Browse | GetRangeAxis | GetSelected | PadtoX | RangeAxisChange | SetSelected | ReleaseViewer3D |
| BuildLegend | GetPadPar | GetPad | PadtoY | RecursiveRead | SetTicks | Class |
| cd | GetXlowNDC | GetPadPoint | Paint | RedrawAxis | SetTickx | Class_Name |
| Clear | GetXlowNDC | GetPadSave | PaintBox | ResetView3D | SetTicky | IsA |
| Clip | GetWNDC | GetSelected | PaintFillArea | ResizePad | SetTitle | ShowMembers |
| Clip | GetHNDNC | GetGLDevice | PaintFillArea | SaveAs | SetTheta | |
| ClippingCode | GetWw | GetView | PaintFillArea | SetBorderMode | SetPhi | |
| ClipPolygon | GetWh | GetView3D | PaintHatches | SetBorderSize | SetToolTipText | |
| Close | GetAbsXlowNDC | GetCoxg | PaintPadFrame | SetCanvas | SetVertical | |
| Closed | GetAbsYlowNDC | GetCogy | PaintLine | SetCanvasSize | SetView | |