

| TObject | | |
|---------------------|------------------|---------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitive | Is | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fgIsA |
| @~TNamed |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| RooAbsData | |
|--------------|-----------------|
| Poisson | _cachelter |
| SumW2 | _doDirtyProp |
| _vars | fgIsA |
| _cachedVars | |
| _iterator | |
| @~RooAbsData | plotOn |
| emptyClone | plotOn |
| reduce | split |
| reduce | createHistogram |
| reduce | fillHistogram |
| reduce | Print |
| reduce | cacheClone |
| add | cacheArgs |
| fill | resetCache |
| get | setArgStatus |
| weight | setDirtyProp |
| weightError | reduceEng |
| weightError | Class |
| get | Class_Name |
| numEntries | IsA |
| sumEntries | ShowMembers |
| isWeighted | Streamer |
| reset | |
| table | |

| RooPrintable | |
|----------------|------------------|
| InLine | Verbose |
| OneLine | fgIsA |
| Standard | |
| Shape | |
| @~RooPrintable | Class |
| RooPrintable | Class_Name |
| printToStream | IsA |
| parseOptions | ShowMembers |
| lessVerbose | Streamer |
| inLinePrint | StreamerNVirtual |
| oneLinePrint | |
| defaultStream | |