

| TObject | | |
|---------------------|------------------|---------------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| @~TObject | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| AppendPad | InheritsFrom | SetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistancetoPrimitive | Is | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRemove | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@[@] | |

| RooMinuit | |
|--------------------|----------------------|
| Speed | _numBadNLL |
| Balance | _nPar |
| Robustness | _floatParamList |
| None | _initFloatParamList |
| Reduced | _constParamList |
| Normal | _initConstParamList |
| ExtraForProblem | _func |
| Maximum | _maxFCN |
| _printLevel | _logfile |
| _warnLevel | _verbose |
| _status | _timer |
| _optConst | _cumulTimer |
| _profile | fgIsA |
| _handleLocalErrors | |
| @~RooMinuit | setLogFile |
| RooMinuit | profileStart |
| setStrategy | profileStop |
| setErrorLevel | synchronize |
| setErrorHandling | backProp |
| setEps | getNPar |
| optimizeConst | logfile |
| fit | maxFCN |
| migrad | getPdfParamVal |
| hesse | getPdfParamErr |
| minos | setPdfParamVal |
| minos | setPdfParamErr |
| seek | setPdfParamErr |
| simplex | clearPdfParamAsymErr |
| improve | RooMinuit |
| save | Class |
| contour | Class_Name |
| setPrintLevel | IsA |
| setWarnLevel | ShowMembers |
| setVerbose | Streamer |
| setProfile | |