

Object		
fUniqueID	kNotDeleted	kWriteDelete
fBits	kZombie	fglsA
fgDtorOnly	kBitMask	
fgObjectStat	kSingleKey	
kIsOnHeap	kOverwrite	
@~TObject	GetOption	operator new
MakeZombie	GetObjectInfo	operator new@[@]
DoError	GetTitle	operator delete
TObject	HandleTimer	operator delete@[@]
TObject	Hash	operator delete
operator=	InheritsFrom	operator delete@[@]
AppendPad	InheritsFrom	SetBit
Browse	Inspect	SetBit
ClassName	IsFolder	ResetBit
Clear	IsEqual	TestBit
Clone	IsSortable	TestBits
Compare	IsOnHeap	InvertBit
Copy	IsZombie	Info
Delete	Notify	Warning
DistancetoPrimitives	Is	Error
Draw	Paint	SysError
DrawClass	Pop	Fatal
DrawClone	Print	AbstractMethod
Dump	Read	MayNotUse
Execute	RecursiveRemove	GetDtorOnly
Execute	SavePrimitive	SetDtorOnly
ExecuteEvent	SetDrawOption	GetObjectStat
FindObject	SetUniqueID	SetObjectStat
FindObject	UseCurrentStyle	Class
GetDrawOption	Write	Class_Name
GetUniqueID	Write	IsA
GetName	operator new	ShowMembers
GetIconName	operator new@[@]	

TNamed
fName
fTitle
fglsA
@~TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

TSocket	
kSOCKD	fService
kROOTD	fServType
kPROOFD	fSocket
fAddress	fCompress
fBytesRecv	fUrl
fBytesSent	fgBytesRecv
fLocalAddress	fgBytesSent
fRemoteProtocol	fglsA
fSecContext	
@~TSocket	GetSecContext
TSocket	GetUrl
Authenticate	IsAuthenticated
operator=	IsValid
GetOption	Recv
RecvHostAuth	Recv
SecureRecv	Recv
SecureSend	Recv
SendHostAuth	RecvRaw
SetDescriptor	Send
TSocket	Send
TSocket	Send
TSocket	Send
TSocket	Send
TSocket	SendObject
TSocket	SendRaw
TSocket	SetCompressionLevel
Close	SetOption
GetDescriptor	SetRemoteProtocol
GetInetAddress	SetSecContext
GetLocalInetAddress	SetUrl
GetPort	GetSocketBytesSent
GetService	GetSocketBytesRecv
GetServType	CreateAuthSocket
GetLocalPort	CreateAuthSocket
GetBytesSent	Class
GetBytesRecv	Class_Name
GetCompressionLevel	IsA
GetErrorCode	ShowMembers
GetOption	
GetRemoteProtocol	

TServerSocket
fSecContexts
fgSrvAuthHook
fgSrvAuthClupHook
fgAcceptOpt
kDefaultBacklog
fglsA
@~TServerSocket
TServerSocket
TServerSocket
operator=
Authenticate
TServerSocket
Accept
GetLocalInetAddress
GetLocalPort
Send
Send
Send
Send
SendObject
SendRaw
Recv
Recv
Recv
Recv
RecvRaw
GetAcceptOptions
SetAcceptOptions
ShowAcceptOptions
Class
Class_Name
IsA
ShowMembers