## TNamed

fName
fTitle
fgIsA

@~TNamed
TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

## RooAbsArg

| | | |
|---|---|---|
| Activate | _clientList | _inhibitDirty |
| DeActivate | _clientListShape | _deleteWatch |
| ConfigChange | _clientListValue | _nameLength |
| ValueChange | _proxyList | _valueDirty |
| Auto | _clientShapeIter | _shapeDirty |
| AClean | _clientValueIter | _operMode |
| ADirty | _attribList | fgIsA |
| _serverList | _verboseDirty | |

| | | |
|---|---|---|
| @~RooAbsArg | getDependents | setValueDirty |
| clone | getDependents | setShapeDirty |
| Clone | dependentOverlaps | clearValueDirty |
| isDerived | dependentOverlaps | clearShapeDirty |
| isCloneOf | checkDependents | redirectServers |
| dependsOn | recursiveCheckDependents | recursiveRedirectSe |
| dependsOn | attachDataSet | redirectServersHook |
| overlaps | readFromStream | serverNameChange |
| clientIterator | writeToStream | addServer |
| valueClientIterator | printToStream | addServerList |
| shapeClientIterator | Print | replaceServer |
| serverIterator | setAttribute | changeServer |
| findServer | getAttribute | removeServer |
| findServer | attribIterator | findNewServer |
| findServer | isConstant | registerProxy |
| isValueServer | getCloningAncestors | registerProxy |
| isValueServer | Compare | registerProxy |
| isShapeServer | IsSortable | unRegisterProxy |
| isShapeServer | verboseDirty | unRegisterProxy |
| leafNodeServerList | copyList | unRegisterProxy |
| branchNodeServerList | printDirty | getProxy |
| treeNodeServerList | setDirtyInhibit | setProxyNormSet |
| isFundamental | operator== | numProxies |
| createFundamental | nameFieldLength | printAttribList |
| isLValue | inRange | syncCache |
| getVariables | hasRange | copyCache |
| getParameters | constOptimize | attachToTree |
| getParameters | printCompactTree | setTreeBranchStatus |
| getParameters | printCompactTree | fillTreeBranch |
| getParameters | printCompactTree | cleanBranchName |
| getObservables | setDeleteWatch | crc32 |
| getObservables | deleteWatch | setValueDirty |
| getObservables | setOperMode | setShapeDirty |
| getObservables | operModeHook | Class |
| getObservables | operMode | Class_Name |
| observableOverlaps | isValid | IsA |
| observableOverlaps | isValid | ShowMembers |
| checkObservables | getParametersHook | |
| recursiveCheckObservables | getObservablesHook | |
| getComponents | isShapeDirty | |
| getDependents | isValueDirty | |

## RooAbsReal

| | | |
|---|---|---|
| Raw | _plotMax | _forceNumInt |
| Relative | _plotBins | _specIntegratorCon |
| NumEvent | _value | _cacheCheck |
| RelativeExpected | _unit | fgIsA |
| _plotMin | _label | |

| | | |
|---|---|---|
| @~RooAbsReal | setPlotRange | matchArgs |
| getVal | setPlotBins | matchArgs |
| getVal | setPlotLabel | matchArgs |
| operator== | getPlotLabel | matchArgs |
| operator== | inPlotRange | isValid |
| getUnit | defaultErrorLevel | isValidReal |
| setUnit | getIntegratorConfig | forceEval |
| getTitle | defaultIntegratorConfig | forceEvalHook |
| bindVars | specialIntegratorConfig | Config |
| createFundamental | setIntegratorConfig | syncCache |
| getAnalyticalIntegral | getIntegratorConfig | copyCache |
| getAnalyticalIntegral | plotSliceOn | attachToTree |
| analyticalIntegral | fillHistogram | setTreeBranchStatus |
| forceAnalyticalInt | createHistogram | optimizeDirty |
| forceNumInt | readFromStream | doConstOpt |
| createIntegral | writeToStream | undoConstOpt |
| createIntegral | printToStream | findCacheableBranch |
| createIntegral | createProjection | findUnusedDataVariables |
| createIntegral | createProjection | findRedundantCacheServers |
| createIntegral | setCacheCheck | allClientsCached |
| createIntegral | plotOn | plotOn |
| getMaxVal | selectNormalization | plotAsymOn |
| maxVal | selectNormalizationRange | maxArgsByName |
| getPlotMin | plotSanityChecks | Class |
| getPlotMax | makeProjectionSet | Class_Name |
| getPlotBins | integralNameSuffix | IsA |
| setPlotMin | createProjection | ShowMembers |
| setPlotMax | matchArgs | |

## RooNumConvolution

| | | |
|---|---|---|
| _init | _clonePdf | |
| _convIntConfig | _cloneModel | |
| _integrand | _useWindow | |
| _integrator | _windowScale | |
| _origVar | _windowParam | |
| _origPdf | _verboseThresh | |
| _origModel | _doProf | |
| _ownedClonedPdfSet | _callHist | |
| _ownedClonedModelSet | fgIsA | |
| _cloneVar | | |

| | | |
|---|---|---|
| @~RooNumConvolution | pdf | |
| RooNumConvolution | model | |
| RooNumConvolution | initialize | |
| clone | redirectServersHook | |
| evaluate | printCompactTreeHook | |
| convIntConfig | cloneVar | |
| convIntConfig | clonePdf | |
| clearConvolutionWindow | cloneModel | |
| setConvolutionWindow | Class | |
| setCallWarning | Class_Name | |
| setCallProfiling | IsA | |
| profileData | ShowMembers | |
| var | | |

## RooPrintable

| | | |
|---|---|---|
| InLine | Shape | |
| OneLine | Verbose | |
| Standard | fgIsA | |

| | | |
|---|---|---|
| @~RooPrintable | inLinePrint | IsA |
| RooPrintable | oneLinePrint | ShowMembers |
| printToStream | defaultStream | Streamer |
| parseOptions | Class | StreamerNVirtual |