

| TGWindow | |
|----------------------|------------------|
| fParent | kEditDisableLay |
| fNeedRedraw | kEditDisableRes |
| fName | kEditDisableHeig |
| fgCounter | kEditDisableWid |
| fEditDisable | kEditDisableBtn |
| kEditEnable | kEditDisableKey |
| kEditDisable | fglsA |
| kEditDisable | Events |
| kEditDisable | Grab |
| @-TGWindowHandleTime | |
| TGWindow | HandleIdleEvent |
| TGWindow | Move |
| operator= | Resize |
| DoRedraw | MoveResize |
| TGWindow | IsMapped |
| TGWindow | IsEditable |
| GetParent | GetEditDisabled |
| GetMainFrame | GetEditDisabled |
| MapWindow | SetEditable |
| MapSubwindow | MustCleanup |
| MapRaised | Print |
| UnmapWindow | SetWindowName |
| DestroyWindow | GetName |
| DestroySubwindow | GetName |
| RaiseWindow | GetMapSubwindow |
| LowerWindow | IsMapSubwindow |
| IconifyWindow | GetCounter |
| ReparentWindow | Class |
| RequestFocus | Class_Name |
| SetBackground | Color |
| SetBackground | Pixmap |
| HandleExpose | |
| HandleEvent | |

| TGFrame | | | |
|------------------------------|------------------------|----------------|-----------------|
| fX | fBorderWidth | fgWhitePixel | fgLastButton |
| fY | fOptions | fgBlackPixel | fgDbx |
| fWidth | fBackground | fgBlackGC | fgDbw |
| fHeight | fEventMask | fgWhiteGC | fgDbw |
| fMinWidth | fFE | fgHiightGC | fgUserColor |
| fMinHeight | fgInit | fgShadowGC | fglsA |
| fMaxWidth | fgDefaultFrame | fgBackground | |
| fMaxHeight | fgDefaultSelected | fgBackground | |
| @-TGFrameHandleCrossLayout | | | |
| GetLastClick | HandleMotion | MapSubwindow | SetFrameElement |
| GetSender | HandleKey | ReparentWindow | Contains |
| Draw3dRectangle | HandleFocus | MapWindow | GetFrameFrom |
| DoRedraw | HandleClientMap | Map | SetX |
| GetResource | PoolSelect | UnmapWindow | SetY |
| GetOptionString | HandleSelectionRequest | | SetWidth |
| StartGuiBuilding | HandleSelectionRequest | DrawCopy | SetHeight |
| GetDefaultFrame | HandleCopyAndChange | | SetMinWidth |
| GetDefaultSelectedBackground | HandleActive | | SetMinHeight |
| GetWhitePixel | HandleDragLeave | Composite | SetMaxWidth |
| GetBlackPixel | HandleDragMove | Editable | SetMaxHeight |
| GetBlackGC | HandleDragDrop | Editable | SetSize |
| GetWhiteGC | ProcessedEvent | LayoutBroken | Print |
| GetHilightGC | SendMessage | LayoutBroken | SaveUserColor |
| GetShadowGC | ProcessMessage | GetCleanup | SavePrimitive |
| GetBckngdGC | GetDefaultSize | SetDragType | Delete |
| TGFrame | Move | SetDropType | DrawClone |
| TGFrame | Resize | GetDragType | DrawClass |
| TGFrame | Resize | GetDropType | Dump |
| operator= | MoveResize | GetWidth | Inspect |
| DeleteWindow | GetDefaultWidth | GetHeight | SetDrawOption |
| ReallyDelete | GetDefaultHeight | GetMinWidth | Class |
| GetEventManager | SetBackground | GetMinHeight | Class_Name |
| AddInput | ChangeBackground | GetMaxWidth | IsA |
| RemoveInput | SetBackground | GetMaxHeight | ShowMembers |
| HandleEvent | GetForeground | GetSize | |
| HandleConfigure | GetForeground | Color | |
| HandleButton | GetOptions | GetY | |
| HandleDoubleClick | ChangeOption | GetBorderWidth | |

| TQObject | | | |
|-----------------------|--------------------|---------------------|---------------|
| fListOfSignals | fListOfConnections | fClass | |
| @-TQObjectEmitVA | | | |
| GetSender | Emit | Emit | Destroyed |
| GetSenderClass | Name | Emit | ChangedBy |
| ConnectToClass | Emit | Connect | Connect |
| ConnectToClass | Emit | Connect | Connect |
| CheckConnections | Disconnect | Disconnect | Disconnect |
| TQObject | Emit | HighPriority | Disconnect |
| operator= | Emit | LowPriority | LoadRQ_OBJECT |
| TQObject | Emit | HasConnections | Class |
| GetListOfClassSignals | NumberOfSignals | Class_Name | |
| GetListOfSignals | Emit | NumberOfConnections | |
| GetListOfConnections | Connected | ShowMembers | |
| EmitVA | Emit | Disconnected | |

| TGCompositeFrame | |
|----------------------|-----------------|
| fLayoutManager | fgMapSubwindow |
| fList | fgDefaultHints |
| fLayoutBroken | fglsA |
| fMustCleanup | |
| @-TGCompositeFrame | |
| TGCompositeFrame | Frame |
| TGCompositeFrame | Frame |
| TGCompositeFrame | Frame |
| operator= | IsVisible |
| GetList | IsVisible |
| GetDefaultWidth | IsArranged |
| GetDefaultHeight | IsArranged |
| GetDefaultSize | Composite |
| GetFrameFrom | IsEditable |
| TranslateCoordinates | IsEditable |
| MapSubwindow | SetLayoutBroken |
| Layout | IsLayoutBroken |
| HandleButton | SetEditDisabled |
| HandleDoubleClick | SetCleanup |
| HandleCrossMap | MustCleanup |
| HandleMotion | Cleanup |
| HandleKey | SetMapSubwindow |
| HandleFocus | SetMapSubwindow |
| HandleSelection | Print |
| HandleDragEnter | ChangeSubframe |
| HandleDragLeave | SavePrimitive |
| HandleDragMove | SavePrimitive |
| HandleDragDrop | SavePrimitive |
| ChangeOptions | Class_Name |
| ProcessMessage | |
| GetLayoutManager | ShowMembers |
| SetLayoutManager | |
| AddFrame | |

| TGTAB | |
|-----------------|---------------------|
| fCurrent | fNormGC |
| fTabh | fgDefaultFont |
| fContainer | fgDefaultGC |
| fRemoved | fglsA |
| fFontStruct | |
| @-TGTAB | |
| GetTabTab | GetTabTab |
| TGTAB | GetTabTab |
| operator= | GetCurrentContainer |
| ChangeTab | GetCurrentTab |
| GetDefaultFont | GetTabHeight |
| GetDefaultGC | GetNumberOfTabs |
| TGTAB | SetEnabled |
| AddTab | SetText |
| AddTab | IsEnabled |
| NewTab | SavePrimitive |
| RemoveTab | Selected |
| SetTab | GetLayoutManager |
| SetTab | Class |
| DrawBorder | Class_Name |
| GetContainers | fglsA |
| GetCurrent | ShowMembers |
| GetTabContainer | |
| GetTabContainer | |

| TGWidget | |
|---------------------|-------------|
| fWidgetId | fCommand |
| fWidgetFlags | fglsA |
| fMsgWindow | |
| @-TGWidgetWantFocus | |
| TGWidget | Associate |
| operator= | SetCommand |
| SetFlags | GetCommand |
| ClearFlags | Class |
| TGWidget | Class_Name |
| TGWidget | IsA |
| WidgetId | ShowMembers |
| IsEnabled | |
| HasFocus | |