

TObject		
fgDtorOnly	kCannotPick	kSingleKey
fgObjectStat	kNoContextMenu	Overwrite
kCanDelete	kInvalidObject	kWriteDelete
kMustCleanup	IsOnHeap	fgIsA
kObjInCanvas	kNotDeleted	fUniqueID
kIsReference	kZombie	fBits
kHasUUID	kBitMask	
Streamer	GetOption	operator new
MakeZombie	GetObjectInfo	operator new@[
DoError	GetTitle	operator delete
TObject	HandleTimer	operator delete@
TObject	Hash	operator delete@
operator=	InheritsFrom	operator delete@
@-TObject	InheritsFrom	SetBit
AppendPad	Inspect	SetBit
Browse	IsFolder	ResetBit
ClassName	IsEqual	TestBit
Clear	IsSortable	TestBits
Clone	IsOnHeap	InvertBit
Compare	IsZombie	Info
Copy	Notify	Warning
Delete	Is	Error
DistancetoPrimitive	Is	SysError
Draw	Pop	Fatal
DrawClass	Print	AbstractMethod
DrawClone	Read	MayNotUse
Dump	RecursiveRecreate	Obsolete
Execute	SaveAs	GetDtorOnly
Execute	SavePrimitive	SetDtorOnly
ExecuteEvenSetDrawOptions	GetDrawOptions	GetObjectStat
FindObject	SetUniqueID	SetObjectStat
FindObject	UseCurrentStyle	IsA
GetDrawOptions	Write	Class_Name
GetUniqueID	Write	IsA
GetName	operator new	
GetIconName	operator new@[	@]

TNamed
fgIsA
fName
fTitle
Streamer
TNamed
TNamed
TNamed
TNamed
operator=
@-TNamed
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA

TSocket		
kIsUnix	fgIsA	fSocket
kBrokenConn	fAddress	fTcpWindowSize
kRead	fBytesRecv	fUrl
kWrite	fBytesSent	fBitsInfo
kSOCKD	fCompress	fUIDs
kROOTD	fLocalAddress	fLastUsageMtx
kPROOFD	fRemoteProtocol	fLastUsage
fgBytesRecv	fSecContext	
fgBytesSent	fService	
fgClientProtocol	fServType	
Streamer	GetServType	Send
TSocket	GetLocalPort	Send
Authenticate	GetBytesSent	SendObject
SetDescriptor	GetBytesRecv	SendRaw
SendStreamed	GetCompress	SetCompression
RecvStreamed	GetCompress	SetCompression
SendProcess	GetCompress	SetCompression
RecvProcess	GetErrorCodes	GetOption
operator=	GetOption	SetRemoteProtocol
GetOption	GetRemoteProtocol	SetContext
TSocket	GetSecContext	SetService
TSocket	GetTcpWindowSize	SetServType
TSocket	GetLastUsage	SetUrl
TSocket	GetUrl	Touch
TSocket	IsAuthenticated	GetClientProtocol
TSocket	IsValid	GetSocketBytes
TSocket	Recv	GetSocketBytes
TSocket	Recv	CreateAuthSocket
@-TSocket	Recv	CreateAuthSocket
Close	Recv	NetError
GetDescriptor	RecvRaw	Class
GetNetAddress	Reconnect	Class_Name
GetLocalNetAddress	Reconnect	IsA
GetPort	Send	
GetService	Send	

TXSocket		
fMode	fAMtx	fRDInterrupt
fSendOpt	fAwait	fXrdProofVersion
fSessionID	fAQueue	fgPipe
fUser	fByteLeft	fgLoc
fHost	fByteCur	fgInitDone
fPort	fBufCur	fgSMtx
fLogLevel	fAsynProc	fgSQue
fBuffer	fIMtx	kStopProcess
fReference	fILev	fgIsA
fHandler	fIForward	
fConn	fPid	
fASem	fDontTimeout	
PickUpReady	GetXrdProofVersion	SetUrgent
PopUpSpare	IsValid	SetInterrupt
PushBackSpare	SetServProofs	IsInterrupt
PostMsg	RemoveClient	SetAwait
GetLowSocket	GetClientID	IsAwait
SetLocation	SetSendOpt	Flush
InitEnvs	SetSessionID	Ping
TXSocket	Send	RemoteTouch
@-TXSocket	Send	CtrlC
Close	Send	SetOption
Create	Send	DisableTimeout
DisconnectSession	SendRaw	EnableTimeout
DoError	SendCoordinates	Reconnect
ProcessUnsolicitedMsg	SetMsg	Class
GetClientID	Recv	Class_Name
GetClientIDSet	Recv	IsA
GetLogConn	Recv	ShowMembers
GetOpenError	RecvRaw	Streamer
GetServType	SendInterrupt	StreamerNVirtual
GetSessionID	GetInterrupt	

XrdClientAbsUnsolMsgHandler
@-XrdClientAbsUnsolMsgHandler
ProcessUnsolicitedMsg