

TNamed
fgIsA
fName
fTitle
Streamer
TNamed
TNamed
TNamed
TNamed
operator=
@~TNamed
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA

TSocket		
kIsUnix	fgIsA	fSocket
kBrokenConn	fAddress	fTcpWindowSize
kRead	fBytesRecv	fUrl
kWrite	fBytesSent	fBitsInfo
kSOCKD	fCompress	fUUIDs
kROOTD	fLocalAddress	fLastUsageMtx
kPROOFD	fRemoteProtocol	fLastUsage
fgBytesRecv	fSecContext	
fgBytesSent	fService	
fgClientProtocol	fServType	
Streamer	GetServType	Send
TSocket	GetLocalPort	Send
Authenticate	GetBytesSent	SendObject
SetDescriptor	GetBytesRecv	SendRaw
SendStreamerInfo	GetCompression	SetCompressionAlg
RecvStreamerInfo	GetCompressionLevel	SetCompressionLevel
SendProcessIDs	GetCompressionSet	SetCompressionSet
RecvProcessIDs	GetErrorCode	SetOption
operator=	GetOption	SetRemoteProtocol
GetOption	GetRemoteProtocol	SetSecContext
TSocket	GetSecContext	SetService
TSocket	GetTcpWindowSize	SetServType
TSocket	GetLastUsage	SetUrl
TSocket	GetUrl	Touch
TSocket	IsAuthenticated	GetClientProtocol
TSocket	IsValid	GetSocketBytesSent
TSocket	Recv	GetSocketBytesRecv
TSocket	Recv	CreateAuthSocket
@~TSocket	Recv	CreateAuthSocket
Close	Recv	NetError
GetDescriptor	RecvRaw	Class
GetInetAddress	Reconnect	Class_Name
GetLocalInetAddress	Select	IsA
GetPort	Send	
GetService	Send	

TXSocket		
fMode	fAMtx	fRDInterrupt
fSendOpt	fAWait	fXrdProofdVersion
fSessionID	fAQue	fgPipe
fUser	fByteLeft	fgLoc
fHost	fByteCur	fgInitDone
fPort	fBufCur	fgSMtx
fLogLevel	fAsynProc	fgSQue
fBuffer	fIMtx	kStopProcess
fReference	fILev	fgIsA
fHandler	fIForward	
fConn	fPid	
fASem	fDontTimeout	
PickUpReady	GetXrdProofdVersion	SendUrgent
PopUpSpare	IsValid	SetInterrupt
PushBackSpare	IsServProofd	IsInterrupt
PostMsg	RemoveClientID	SetAWait
GetLowSocket	SetClientID	IsAWait
SetLocation	SetSendOpt	Flush
InitEnvs	SetSessionID	Ping
TXSocket	Send	RemoveTouch
@~TXSocket	Send	CtrlC
Close	Send	SetOption
Create	Send	DisableTimeout
DisconnectSession	SendRaw	EnableTimeout
DoError	SendCoordinator	Reconnect
ProcessUnsolicitedMsg	RMMsg	Class
GetClientID	Recv	Class_Name
GetClientIDSize	Recv	IsA
GetLogConnID	Recv	ShowMembers
GetOpenError	RecvRaw	Streamer
GetServType	SendInterrupt	StreamerNVirtual
GetSessionID	GetInterrupt	

TXUnixSocket
fClientIDs
fgIsA
TXUnixSocket
@~TXUnixSocket
GetClientID
GetClientIDSize
RemoveClientID
SetClientID
Reconnect
Class
Class_Name
IsA
ShowMembers
Streamer
StreamerNVirtual

XrdClientAbsUnsolicitedMsgHandler	
@~XrdClientAbsUnsolicitedMsgHandler	
ProcessUnsolicitedMsg	